


METALCASEWORK

BASE | WALL | TALL CABINETS



L O N G O

// ASSOCIATES INC.



Additional Specifications

All surfaces shall be painted or zinc plated. The paint is a chemical resistant baked on epoxy powder. Specific test data is available upon request.

Gauges of base cabinet components are as follows:

Aprons	18 ga.	Legs - 2" sq. tube	18 ga.
Back Panels	20 ga.	Shelves	18 ga.
Bottom Panels	18 ga.	Side Panels	18 ga.
Drawer/Door Outer Panel	20 ga.	Table Frames	18 ga.
Door Inner Panel	20 ga.	K & V Shelve Clip	
Drawer Bodies	20 ga.		

For complete specifications, request our full line of products specifications.

Subject to change.

CONTENTS

ACCESSORIES	24-25	CORNER	15
ACID STORAGE CABINETS	11	Base Cabinets - Sitting/Desk Height	15
APRONS AND DRAWER HOUSINGS	22	Sink Cabinets - Sitting/Desk Height	15
BASE CABINETS	2-14	FLAMMABLE STORAGE CABINETS	11
Standing/Counter Height	2-8	FLOOR CASE UNITS	18-19
Sink/Fume Hood Standing Height	9	FUME HOODS	20-21
Special Purpose	10	UTILITY TABLES	23
Sitting/Desk Height	12-14	WALL CASE UNITS	16-17

BASE CABINETS STANDING / COUNTER HEIGHT

Standing/Counter Height 35" High x 22" Deep. Units are available in various widths as shown. Drawer units feature full extension slides. A single shelf is standard in the units shown. Additional shelves are available (see page 11). Specify left or right hand doors. Hand is indicated by side of door upon which hinge is located.

Part Numbering System

Sample:

B3536-048

12233-456

1 = Base unit

2 = Height

3 = Width

4 = #Doors

5 = #Drawers

6 = #Half Drawers


*"F" = File Drawer

*"S" = Sink Unit


*"P" = Panel

*"R" = Right hinge facing cab.


*"L" = Left hinge facing cab.




B3515-000
B3518-000
B3524-000




B3515-100(L)
B3518-100(L)
B3524-100(L)




B3515-110(L)
B3518-110(L)
B3524-110(L)




B3515-102(L)
B3518-102(L)
B3524-102(L)




B3515-100(R)
B3518-100(R)
B3524-100(R)




B3515-110(R)
B3518-110(R)
B3524-110(R)




B3515-102(R)
B3518-102(R)
B3524-102(R)




NOTE: When ordering units with configurations that are non-standard, drawings must accompany order.




**B3515-F20
B3518-F20
B3524-F20**




**B3515-040
B3518-040
B3524-040**




**B3515-032
B3518-032
B3524-032**




**B3515-024
B3518-024
B3524-024**




**B3515-008
B3518-008
B3524-008**




**B3515-F12
B3518-F12
B3524-F12**




**B3515-FFO
B3518-FFO
B3524-FFO**




**B3530-000
B3536-000
B3542-000
B3548-000**




**B3530-200
B3536-200
B3542-200
B3548-200**




**B3530-110(L)SP
B3536-110(L)SP
B3542-110(L)SP
B3548-110(L)SP**




**B3530-110(R)SP
B3536-110(R)SP
B3542-110(R)SP
B3548-110(R)SP**




**B3530-210
B3536-210
B3542-210
B3548-210**




**B3530-220
B3536-220
B3542-220
B3548-220**




**B3530-212A
B3536-212A
B3542-212A
B3548-212A**




**B3530-212B
B3536-212B
B3542-212B
B3548-212B**




**B3530-204
B3536-204
B3542-204
B3548-204**




B3530-140B(L)
B3536-140B(L)
B3542-140B(L)
B3548-140B(L)




B3530-140B(R)
B3536-140B(R)
B3542-140B(R)
B3548-140B(R)




B3530-150(L)
B3536-150(L)
B3542-150(L)
B3548-150(L)




B3530-150(R)
B3536-150(R)
B3542-150(R)
B3548-150(R)




B3530-142(L)
B3536-142(L)
B3542-142(L)
B3548-142(L)



B3530-142(R)
B3536-142(R)
B3542-142(R)
B3548-142(R)




B3530-132(L)
B3536-132(L)
B3542-132(L)
B3548-132(L)




B3530-132(R)
B3536-132(R)
B3542-132(R)
B3548-132(R)


BASE CABINETS STANDING / COUNTER HEIGHT




**B3530-100(L)SP
B3536-100(L)SP
B3542-100(L)SP
B3548-100(L)SP**




**B3530-100(R)SP
B3536-100(R)SP
B3542-100(R)SP
B3548-100(R)SP**




**B3530-140A(L)
B3536-140A(L)
B3542-140A(L)
B3548-140A(L)**




**B3530-140A(R)
B3536-140A(R)
B3542-140A(R)
B3548-140A(R)**




**B3530-134(L)
B3536-134(L)
B3542-134(L)
B3548-134(L)**



**B3530-134(R)
B3536-134(R)
B3542-134(R)
B3548-134(R)**




**B3530-048A
B3536-048A
B3542-048A
B3548-048A**




**B3530-048B
B3536-048B
B3542-048B
B3548-048B**


NOTE: When ordering units with configurations that are non-standard, drawings must accompany order.




**B3530-040
B3536-040
B3542-040
B3548-040**




**B3530-050
B3536-050
B3542-050
B3548-050**




**B3530-060
B3536-060
B3542-060
B3548-060**




**B3530-080
B3536-080
B3542-080
B3548-080**




**B3530-024
B3536-024
B3542-024
B3548-024**




**B3530-032
B3536-032
B3542-032
B3548-032**




**B3530-044A
B3536-044A
B3542-044A
B3548-044A**




**B3530-044B
B3536-044B
B3542-044B
B3548-044B**




B3530-048C
B3536-048C
B3542-048C
B3548-048C




B3530-064
B3536-064
B3542-064
B3548-064




B3530-070A
B3536-070A
B3542-070A
B3548-070A



B3530-070B
B3536-070B
B3542-070B
B3548-070B




B3530-008
B3536-008
B3542-008
B3548-008




B3530-052
B3536-052
B3542-052
B3548-052

NOTE: When ordering units with configurations that are non-standard, drawings must accompany order.


ALSO AVAILABLE IN SITTING/DESK HEIGHT




**Sink Base
B3518-10S(R)
B3524-10S(R)**




**Sink Base
B3518-10S(L)
B3524-10S(L)**




**Sink Base
B3518-10S(R)
Louvered
B3524-10S(R)
Louvered**




**Sink Base
B3518-10S(L)
Louvered
B3524-10S(L)
Louvered**




**Hood Base
B3518-10P(R)
B3524-10P(R)**




**Hood Base
B3518-10P(L)
B3524-10P(L)**




**Sink Base
B3530-20S
B3536-20S
B3542-20S
B3548-20S
B3552-20S
B3558-20S**




**Sink Island Base
B3552-20SI
B3558-20SI**




**Sink Base
B3530-20S Louvered
B3536-20S Louvered
B3542-20S Louvered
B3548-20S Louvered
B3552-20S Louvered
B3558-20S Louvered**



**Hood Base
B3530-20P
B3536-20P
B3542-20P
B3548-20P
B3552-20P
B3558-20P**




**Hood Island Base
B3552-20PI
B3558-20PI**



**Sink Support
Assembly**


SS-C14	SS-36
SS-18	SS-48
SS-24	SS-42
SS-30	SS-52
	SS-58

BASE CABINETS SPECIAL PURPOSE BASES




Typical Dimensions


C3514-100(L)




C3514-100(R)
(SHOWN WITH
OPTIONAL LAZY
SUSAN INSTALLED)




C3514-10S(L)



C3514-10S(R)




C3514-10S(L)
Louvered




C3514-10S(R)
Louvered

MOBILE BASES




MB2915-030
MB2918-030
MB2924-030
MB2930-030



MB3515-040
MB3518-040
MB3524-040
MB3530-040

ACID STORAGE CABINET

Metal-Arc Acid Storage Cabinets are reinforced steel with a hi-tech performance polymer alloy coating. This reduces the possibilities of corrosion. Note: All Acid Cabinets are 18" deep.




ASB2918-100	ASB3518-100	} 1 Door Units
ASB2924-100	ASB3524-100	
ASB2930-200	ASB3530-200	
ASB2936-200	ASB3536-200	
ASB2942-200	ASB3542-200	
ASB2948-200	ASB3548-200	
ASB2952-200	ASB3552-200	
ASB2958-200	ASB3558-200	

Add Suffix "VK" if Vent Kit is Required

FLAMMABLE STORAGE CABINET


Note: All Flammable Cabinets are 18" deep.



FSB2924-100	FSB3524-100	} 1 Door Units
FSB2930-200	FSB3530-200	
FSB2936-200	FSB3536-200	
FSB2942-200	FSB3542-200	
FSB2948-200	FSB3548-200	
FSB2952-200	FSB3552-200	
FSB2958-200	FSB3558-200	

STANDARD SHELF


Standard base cabinet shelf with brackets. Available for 29" and 35" units.



BS15
BS18
BS21
BS24
BS30
BS36
BS42
BS48

PULL OUT SHELF

Optional pull-out shelf for base cabinets. Shelf is full extension with ball bearing slides. *Note: Cabinet door must be open 90 deg. to allow for extension.



BPS15
BPS18
BPS21
BPS24
BPS30
BPS36
BPS42
BPS48

NOTE: When ordering units with configurations that are non-standard, drawings must accompany order.



BASE CABINETS SITTING / DESK HEIGHT

Sitting/Desk Height 29" High X 22" Deep. Units are available in various widths as shown. Drawer units feature full extension slides. A single shelf is standard in the units where shown. Additional shelves are available (see page 11). Specify left or right hand doors. Hand is indicated by side of door upon which hinges are located.


Part Numbering System

Sample: B2930-044 1= Base Unit 4= #Doors
 12233-456 2= Height 5= #Drawers
 3= Width 6= #Half Drawers
 7= Features

* "F" = File Drawer
 * "S" = Sink Unit
 * "P" = Panel over door(s)
 * "R" = Right hinge facing cab.
 * "L" = Left hinge facing cab.
 * "B" = Bin Drawer




B2915-000
B2918-000
B2924-000
B2930-000
B2936-000
B2942-000
B2948-000




End View


B2915-100(L)
B2918-100(L)
B2924-100(L)




B2915-100(R)
B2918-100(R)
B2924-100(R)




B2915-110(L)
B2918-110(L)
B2924-110(L)




B2915-110(R)
B2918-110(R)
B2924-110(R)



B2915-102(L)
B2918-102(L)
B2924-102(L)




B2915-102(R)
B2918-102(R)
B2924-102(R)




B2915-F10
B2918-F10
B2924-F10


NOTE: When ordering units with configurations that are non-standard, drawings must accompany order.




B2915-F02
B2918-F02
B2924-F02




B2930-040
B2936-040
B2942-040
B2948-040




B2930-050
B2936-050
B2942-050
B2948-050




B2930-044
B2936-044
B2942-044
B2948-044




B2930-006
B2936-006
B2942-006
B2948-006



B2930-060
B2936-060
B2942-060
B2948-060




B2930-200
B2936-200
B2942-200
B2948-200




B2930-210
B2936-210
B2942-210
B2948-210


BASE CABINETS SITTING / DESK HEIGHT




**B2915-030
B2918-030
B2924-030**




**B2915-B11
B2918-B11
B2924-B11**




**B2915-022
B2918-022
B2924-022**




**B2915-006
B2918-006
B2924-006**




**B2930-100(RorL)SP
B2936-100(RorL)SP
B2942-100(RorL)SP
B2948-100(RorL)SP**




**B2930-220
B2936-220
B2942-220
B2948-220**



**B2930-110(R)SP
B2936-110(R)SP
B2942-110(R)SP
B2948-110(R)SP**




**B2930-110(L)SP
B2936-110(L)SP
B2942-110(L)SP
B2948-110(L)SP**



Typical Dimensions


C2914-100(L)




C2914-100(R)

*(SHOWN WITH OPTIONAL
LAZY SUSAN INSTALLED)*


CORNER SINK BASE CABINETS SITTING/DESK HEIGHT




C2914-10S(L)



C2914-10S(R)




**C2914-10S(L)
Louvered**



**C2914-10S(R)
Louvered**

OPTIONAL LAZY SUSAN (FOR CORNER BASE CABINETS)



**LS-29
LS-35**


WALL CASE UNITS

Wall cases are available in sizes ranging from 24", 31", 36" and 48" high and 18" wide to 48" wide. All units are 13" deep as standard. 24" high units have one shelf. 31" high to 36" high units have two shelves. 48" high units have three shelves. Additional shelves are available. On single hinge door units, specify (R) or (L) hinge. 48" high units have 3 hinges per door.


Part Numbering System

Sample:	W3036-2GS	1= Wall Case	4= #Doors
	12233-4567	2= Height	5= Material of doors*
		3= Width	6= Type of doors* *
			7= Depth
			Note: 13" dp. standard,
			16" deep cabinets available -
			indicate by final suffix of 16,
			(Example: W2418-00016)


- * Steel, Glass or no doors (open)
 * * Hinged, Sliding or Sliding/framed
 * "R" = Right hinge facing cabinet
 * "L" = Left hinge facing cabinet




W2418-000	W3018-000	W3618-000	W4818-000
W2424-000	W3024-000	W3624-000	W4824-000
W2430-000	W3030-000	W3630-000	W4830-000
W2436-000	W3036-000	W3636-000	W4836-000
W2442-000	W3042-000	W3642-000	W4842-000
W2448-000	W3048-000	W3648-000	W4848-000




W2418-1SH(L)
W3018-1SH(L)
W3618-1SH(L)
W4818-1SH(L)
W2424-1SH(L)
W3024-1SH(L)
W3624-1SH(L)
W4824-1SH(L)




W2418-1SH(R)
W3018-1SH(R)
W3618-1SH(R)
W4818-1SH(R)
W2424-1SH(R)
W3024-1SH(R)
W3624-1SH(R)
W4824-1SH(R)




W2418-1GH(L)
W3018-1GH(L)
W3618-1GH(L)
W4818-1GH(L)
W2424-1GH(L)
W3024-1GH(L)
W3624-1GH(L)
W4824-1GH(L)



W2418-1GH(R)
W3018-1GH(R)
W3618-1GH(R)
W4818-1GH(R)
W2424-1GH(R)
W3024-1GH(R)
W3624-1GH(R)
W4824-1GH(R)




W2430-2SH	W3630-2SH
W2436-2SH	W3636-2SH
W2442-2SH	W3642-2SH
W2448-2SH	W3648-2SH
W3030-2SH	W4830-2SH
W3036-2SH	W4836-2SH
W3042-2SH	W4842-2SH
W3048-2SH	W4848-2SH




W2430-2SS	W3630-2SS
W2436-2SS	W3636-2SS
W2442-2SS	W3642-2SS
W2448-2SS	W3648-2SS
W3030-2SS	W4830-2SS
W3036-2SS	W4836-2SS
W3042-2SS	W4842-2SS
W3048-2SS	W4848-2SS


NOTE: When ordering units with configurations that are non-standard, drawings must accompany order.




W2430-2GH W3630-2GH
W2436-2GH W3636-2GH
W2442-2GH W3642-2GH
W2448-2GH W3648-2GH
W3030-2GH W4830-2GH
W3036-2GH W4836-2GH
W3042-2GH W4842-2GH
W3048-2GH W4848-2GH




W2430-2GS W3630-2GS
W2436-2GS W3636-2GS
W2442-2GS W3642-2GS
W2448-2GS W3648-2GS
W3030-2GS W4830-2GS
W3036-2GS W4836-2GS
W3042-2GS W4842-2GS
W3048-2GS W4848-2GS



WDS3030-00013 open-2-s
WDS3036-00013 open-2-s
WDS3048-00013 open-2-s




W2430-2GSF W3630-2GSF
W2436-2GSF W3636-2GSF
W2442-2GSF W3642-2GSF
W2448-2GSF W3648-2GSF
W3030-2GSF W4830-2GSF
W3036-2GSF W4836-2GSF
W3042-2GSF W4842-2GSF
W3048-2GSF W4848-2GSF




WDS3036-4GS13 open-2-s
WDS3048-4GS13 open-2-s


CORNER WALL CASE UNITS




WC3018-000
WC3618-000
WC3018-00016
WC3618-00016



WC3018-1SH(RorL)
WC3618-1SH(RorL)
WC3018-1SH(RorL)16
WC3618-1SH(RorL)16



WC3018-1GH(L)
WC3618-1GH(L)
WC3018-1GH(L)16
WC3618-1GH(L)16



WC3018-1GH(R)
WC3618-1GH(R)
WC3018-1GH(R)16
WC3618-1GH(R)16

NOTE: When ordering units with configurations that are non-standard, drawings must accompany order.
NOTE: 16" deep corner wall case dimension = 28 11/16"


FLOOR CASE UNITS

Floor cases are available in widths ranging from 18" to 48". All units are 84" high and are available in either 16" or 21 1/4" depths. Five shelves are standard equipment. Additional shelves are available. On single hinge door units, specify (R) or (L) hinge.


Part Numbering System

Sample: F8418-2SS16 1= Floor Case 4= #Doors
 12233-456 2= Height 5= Material of doors*
 3= Width 6= Type of doors* *
 7= Depth


* Steel Glass or no doors (open)
 * * Hinged, Sliding or Sliding/framed
 * "R" = Right hinge facing cabinet
 * "L" = Left hinge facing cabinet




F8418-00016
 F8418-00021
 F8424-00016
 F8424-00021




F8430-00016
 F8430-00021
 F8436-00016
 F8436-00021
 F8442-00016
 F8442-00021
 F8448-00016
 F8448-00021



F8418-1SH16(L)
 F8418-1SH21(L)
 F8424-1SH16(L)
 F8424-1SH21(L)




F8418-1SH16(R)
 F8418-1SH21(R)
 F8424-1SH16(R)
 F8424-1SH21(R)




End View (16" Dp. Unit)


NOTE: When ordering units with configurations that are non-standard, drawings must accompany order.




F8418-1GH16(L)
F8418-1GH21(L)
F8424-1GH16(L)
F8424-1GH21(L)




F8418-1GH16(R)
F8418-1GH21(R)
F8424-1GH16(R)
F8424-1GH21(R)




F8430-2SH16
F8430-2SH21
F8436-2SH16
F8436-2SH21
F8442-2SH16
F8442-2SH21
F8448-2SH16
F8448-2SH21



F8430-2SS16
F8430-2SS21
F8436-2SS16
F8436-2SS21
F8442-2SS16
F8442-2SS21
F8448-2SS16
F8448-2SS21



F8430-2GSF16
F8430-2GSF21
F8436-2GSF16
F8436-2GSF21
F8442-2GSF16
F8442-2GSF21
F8448-2GSF16
F8448-2GSF21



F8430-2GH16
F8430-2GH21
F8436-2GH16
F8436-2GH21
F8442-2GH16
F8442-2GH21
F8448-2GH16
F8448-2GH21

NOTE: When ordering units with configurations that are non-standard, drawings must accompany order.


The name Labscape has long been synonymous with quality and longevity. Our newly redesigned fume hood line is a proud example of this reputation. Over 50 years of experience combined with state of the art engineering, manufacturing and testing facilities provide you with a fume hood unsurpassed in quality and performance.

DESIGN

The design of our fume hood line is founded on three basic principals: safety, flexibility and aesthetics.

SAFETY

Safety should be the number one concern when choosing a fume hood. That is why our hoods are tested and certified in accordance with the Ashrae method of testing performance of laboratory fume hoods.



FLEXIBILITY

Construction of our fume hood begins with a heavy duty internal framework. This universal framework is the foundation for a variety of standard and optional features.

These features include. . .

- Chemical resistant interiors of resin-chem, PVC or stainless steel
- PVC or stainless sash guides
- Vertical, horizontal or combination sashes in a variety of materials
- Easy access for service fixture installation
- Manual or remote baffle adjustment
- Flourescent light fixture
- Optional factory installation of service fixtures

The flexibility of our design will allow you to select standard options that will meet the requirements of your application.

AESTHETICS



Our quality, pride and craftsmanship will insure that your Labscape Fume Hood will be a handsome center piece in your laboratory for years to come.

CATALOG

For a complete fume hood catalog contact your local Labscape representative or contact us direct at the following address:



Labscape
100 Hilltop Road
Ramsey, NJ 07446
Telephone: 800.898.6649

***BYPASS & VARIABLE
AIR VOLUME (VAV)
FUME HOODS***



***PERCHLORIC ACID AND
RADIO-ISOTOPE FUME HOODS***


ADA FUME HOODS



***WALK-IN AND SPECIAL
FUME HOODS***


APRONS AND DRAWER HOUSINGS

Part Numbering System: A046022-000 1= Apron 4= Depth
 1223344-555 2= Height 5= # Drawers
 3= Width




A042422-000
 A043022-000
 A043622-000
 A044222-000
 A044822-000
 A045422-000
 A046022-000
 A046622-000
 A047222-000

A042428-000
 A043028-000
 A043628-000
 A044228-000
 A044828-000
 A045428-000
 A046028-000
 A046628-000
 A047228-000




A042422-001
 A043022-001
 A043622-001
 A044222-001

A042428-001
 A043028-001
 A043628-001
 A044228-001



A044222-002
 A044822-002
 A045422-002
 A046022-002
 A046622-002
 A047222-002

A044228-002
 A044828-002
 A045428-002
 A046028-002
 A046628-002
 A047228-002




A047222-003

A047228-003

Note: Apron heights are 4 1/2" high.

KNEE SPACE RAILS




KSR0418
 KSR0424
 KSR0430
 KSR0436
 KSR0442
 KSR0448

KSR0452
 KSR0454
 KSR0460
 KSR0466
 KSR0472
 KSR0484
 KSR0496

NOTE: When ordering units with configurations that are non-standard, drawings must accompany order.

29" HIGH TABLES


22" DEEP

UT292422-000
UT293022-000
UT293622-000
UT294222-000
UT294822-000
UT296022-000
UT297222-000

28" DEEP

UT292428-000
UT293028-000
UT293628-000
UT294228-000
UT294828-000
UT296028-000
UT297228-000


35" HIGH TABLES

22" DEEP

UT352422-000
UT353022-000
UT353622-000
UT354222-000
UT354822-000
UT356022-000
UT357222-000

28" DEEP

UT352428-000
UT353028-000
UT353628-000
UT354228-000
UT354828-000
UT356028-000
UT357228-000


22" DEEP

UT292422-001
UT293022-001
UT293622-001
UT294222-001

28" DEEP


UT292428-001
UT293028-001
UT293628-001
UT294228-001

22" DEEP

UT352422-001
UT353022-001
UT353622-001
UT354222-001

28" DEEP

UT352428-001
UT353028-001
UT353628-001
UT354228-001


22" DEEP

UT294822-002
UT296022-002
UT297222-002

28" DEEP


UT294828-002
UT296028-002
UT297228-002

22" DEEP

UT354822-002
UT356022-002
UT357222-002

28" DEEP

UT354828-002
UT356028-002
UT357228-002


22" DEEP

UT297222-003

28" DEEP

UT297228-003

22" DEEP

UT357222-003


28" DEEP

UT357228-003


NOTE: UTILITY TABLES DO NOT INCLUDE COUNTER TOPS.

NOTE: When ordering units with configurations that are non-standard, drawings must accompany order.


TABLE LEGS




SINGLE LEG




SINGLE LEG WITH PLATE




END PEDESTAL




WALL CASE FRONT FILLER




WALL CASE CORNER FILLER



REAGENT SHELF UPRIGHT




WALL - FLOOR CASE SHELF



SLOPE TOP WITH END CAPS


PART NUMBERS

WALL	FLOOR
WS1813	FS1816
WS2413	FS2416
WS3013	FS3016
WS3613	FS3616
WS4213	FS4216
WS4813	FS4816
WS1816	FS1821
WS2416	FS2421
WS3016	FS3021
WS3616	FS3621
WS4216	FS4221
WS4816	FS4821



ST13-18	ST21-18
ST13-24	ST21-24
ST13-30	ST21-30
ST13-36	ST21-36
ST13-42	ST21-42
ST13-48	ST21-48
ST16-18	
ST16-24	
ST16-30	
ST16-36	
ST16-42	
ST16-48	

NOTE: When ordering units with configurations that are non-standard, drawings must accompany order.

KNEE SPACE PANELS

For use in sit down
situation with apron

24" HIGH

KSP 2424
KSP 2430
KSP 2436
KSP 2442
KSP 2448
KSP 2454
KSP 2460
KSP 2466
KSP 2472

For use in standing
situation with apron,
or sit down without apron

29" HIGH

KSP 2924
KSP 2930
KSP 2936
KSP 2942
KSP 2948
KSP 2954
KSP 2960
KSP 2966
KSP 2972

For use in
standing situation
without apron

35" HIGH


KSP 3524
KSP 3530
KSP 3536
KSP 3542
KSP 3548
KSP 3554
KSP 3560
KSP 3566
KSP 3572

FILL PANELS


All base cabinet fillers are 35" high. Fillers for 29" high (low base) cabinets will need to be trimmed by the installer. Other sizes available upon request.

**C-FILLER**

CF35-8
CF35-14

**L-FILLER**


LF35-1
LF35-7
LF35-11

**C-FRONT FILLER**

FFC35-8
FFC35-14

**CORNER FILLER**


ICF35-1
ICF35-2
ICF35-4

**L-FRONT FILLER**

FFL35-8
FFL35-14

**FLOOR CASE FILLER**

FFL84-2
FFL84-8

**TOE SPACE FILLER**

TSF-00

* Last number(s) in filler designation indicates width of filler assembly.



Brîûæ: ăûJBĀ: ĢĶ©ÅµdĀĀ ĭĭĀ; r ūJĭĤrµ; ş
Ĝ Ĝ Ĝ ş©ĀµdĀ© : ĭş; Ā³