

PLASTIC
LAMINATE

CASEWORK

BASE | WALL | TALL CABINETS







L O N G O

// ASSOCIATES INC.



DISTRIBUTED BY LONGO ASSOCIATES, INC.
WWW.LONGOLABS.COM





CONTENTS

BASE CABINETS	2-42	TALL CABINETS	57-80
Open Base Cabinets	2-3	Open Tall Cabinets	57-58
Door Base Cabinets	4-7	Door Tall Cabinets	59-61
Drawer Base Cabinets	8-19	Wardrobe Cabinets	62-67
Combination Base Cabinets	20-21	Combination Tall Cabinets	68-69
Sink Base Cabinets	22-30	Specialty Tall Cabinets	70-76
Corner Base Cabinets	31-33	Tote Tray Tall Cabinets	77-80
Tote Tray Base Cabinets	34-38		
Specialty Base Cabinets	39-42		
		CONSUMER SCIENCE CABINETS INDEX	81-83
WALL CABINETS	43-56	PLASTIC-LAMINATE CASEWORK	84-97
Open Wall Cabinets	43-44	WOOD SCIENCE CASEWORK AND RELATED PRODUCTS	98-106
Door Wall Cabinets	44-48		
Corner Wall Cabinets	48-55		
Specialty Wall Cabinets	56		



		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B0000 BASE CABINET MOD- IFIER		SPECIFY	SPECIFY	SPECIFY	
B1001 OPEN BASE		12	25.75	13.25	
		15			
		18	29	15.25	
		21			
		24	32	23.25	
		27			
		30	34.5		
		33			
		36			
		39			
		42			
		45			
		48			
B1002 OPEN BASE		12	25.75	13.25	
		15			
		18	29	15.25	
		21			
		24	32	23.25	
		27			
		30	34.5		
		33			
		36			
		39			
		42			
		45			
		48			
B1003 OPEN BASE		12	25.75	13.25	
		15			
		18	29	15.25	
		21			
		24	32	23.25	
		27			
		30	34.5		
		33			
		36			
		39			
		42			
		45			
		48			





OPEN BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B1063 OPEN SUPPLY STORAGE BASE		24			
		27			
		30	25.75		
		33	29	23.25	SLIDING TRAY FULL EXTENSION SLIDES
		36	32		
		39	34.5		
		42			
		45			
		48			
B1064 OPEN SUPPLY STORAGE BASE		24			
		27			
		30	25.75		
		33	29	23.25	TWO SLIDING TRAYS FULL EXTENSION SLIDES
		36	32		
		39	34.5		
		42			
		45			
		48			





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B2041 SLIDING TRAY BASE		24			TWO HINGED DOORS SLIDING TRAY FULL EXTENSION SLIDES
		27			
		30	25.75		
		33	29	23.25	
		36	32	28.25	
		39	34.5	34.25	
		42			
		45			
		48			
B2042 SLIDING TRAY BASE		24			TWO HINGED DOORS TWO SLIDING TRAYS FULL EXTENSION SLIDES
		27			
		30	25.75		
		33	29	23.25	
		36	32	28.25	
		39	34.5	34.25	
		42			
		45			
		48			
B2043 SLIDING TRAY BASE		24			TWO HINGED DOORS THREE SLIDING TRAYS FULL EXTENSION SLIDES
		27			
		30	25.75		
		33	29	23.25	
		36	32	28.25	
		39	34.5	34.25	
		42			
		45			
		48			
B2044 SLIDING TRAY BASE		24			TWO HINGED DOORS FOUR SLIDING TRAYS FULL EXTENSION SLIDES
		27			
		30			
		33	29	23.25	
		36	32	28.25	
		39	34.5	34.25	
		42			
		45			
		48			





OPEN BASE CABINETS

WIDTHS HEIGHTS DEPTHS DESCRIPTION				
B2045 SLIDING TRAY BASE 	24	29 32 34.5	23.25 28.25 34.25	TWO HINGED DOORS FIVE SLIDING TRAYS FULL EXTENSION SLIDES
	27			
	30			
	33			
	36			
	39			
	42			
	45			
	48			
B2046 SLIDING TRAY BASE 	24	29 32 34.5	23.25 28.25 34.25	TWO HINGED DOORS SIX SLIDING TRAYS FULL EXTENSION SLIDES
	27			
	30			
	33			
	36			
	39			
	42			
	45			
	48			





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B2001 HINGED LEFT B2002 HINGED RIGHT DOOR BASE		12	25.75	23.25	HINGED DOOR ONE ADJUSTABLE SHELF
		15	29		
		18	32		
		21	34.5		
		24			
B2003 HINGED LEFT B2004 HINGED RIGHT DOOR BASE		12	25.75	23.25	HINGED DOOR TWO ADJUSTABLE SHELVES
		15	29		
		18	32		
		21	34.5		
		24			
B2005 DOOR BASE		24	25.75	23.25	TWO HINGED DOORS ONE ADJUSTABLE SHELF
		27			
		30			
		33			
		36	29		
		39	32		
		42	34.5		
		45			
		48			
B2006 DOOR BASE		24	25.75	23.25	TWO HINGED DOORS TWO ADJUSTABLE SHELVES
		27			
		30			
		33			
		36	29		
		39	32		
		42	34.5		
		45			
		48			





DOOR BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
<div>B2007</div> <div>DOOR BASE</div>		24 27 30 33 36 39 42 45 48	25.75 29 32 34.5	23.25	TWO HINGED DOORS TWO ADJUSTABLE SHELVES CENTER PARTITION
<div>B2008</div> <div>DOOR BASE</div>		24 27 30 33 36 39 42 45 48	25.75 29 32 34.5	23.25	TWO HINGED DOORS FOUR ADJUSTABLE SHELVES CENTER PARTITION
<div>B2009</div> <div>HINGED LEFT</div> <div>B2010</div> <div>HINGED RIGHT</div> <div>PROJECT STORAGE</div>		12 15 18 21 24	29 32 34.5	23.25	TWO HINGED DOORS TWO EQUAL COMPARTMENTS
<div>B2011</div> <div>FLEXIBLE STORAGE</div>		24 27 30 33 36 39 42 45 48	29 32 34.5	23.25	TWO HINGED DOORS NINE ADJUSTABLE SHELVES TWO PARTITIONS





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B3001 DRAWER BASE		12	25.75 29 32 34.5	23.25	TWO EQUAL DRAWERS
		15			
		18			
		21			
		24			
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B3002 DRAWER BASE		24	25.75 29 32 34.5	23.25	TWO EQUAL DRAWERS
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B3003 DRAWER BASE		12	25.75 29 32 34.5	23.25	THREE EQUAL DRAWERS
		15			
		18			
		21			
		24			
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B3004 DRAWER BASE		24	25.75 29 32 34.5	23.25	THREE EQUAL DRAWERS
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			





DRAWER BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B3005 DRAWER BASE		12 15 18 21 24 27 30 33 36 39 42 45 48	25.75 29 32 34.5	23.25	THREE DRAWERS
B3006 DRAWER BASE		24 27 30 33 36 39 42 45 48	25.75 29 32 34.5	23.25	THREE DRAWERS
B3007 DRAWER BASE		12 15 18 21 24 27 30 33 36 39 42 45 48	25.75 29 32 34.5	23.25	FOUR EQUAL DRAWERS
B3046 PROJECT STORAGE DRAWER BASE		24 27 30 33 36 39 42 45 48	25.75 29 32 34.5	23.25 28.25 34.25	FOUR EQUAL FULL DEPTH DRAWERS DRAWERS W/HOODS FULL EXTENSION SLIDES





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B3008 DRAWER BASE		24			
		27			
		30	25.75		
		33	29	23.25	FOUR EQUAL DRAWERS
		36	32		
		39	34.5		
		42			
		45			
		48			
B3047 PROJECT STORAGE DRAWER BASE		24			
		27			
		30	25.75		
		33	29	23.25	FOUR EQUAL FULL DEPTH DRAWERS
		36	32	28.25	DRAWERS W/HOODS
		39	34.5	34.25	FULL EXTENSION SLIDES
		42			
		45			
		48			
B3009 DRAWER BASE		12			
		15			
		18			
		21			
		24			
		27	29		
		30	32	23.25	FIVE EQUAL DRAWERS
		33	34.5		
		36			
		39			
		42			
		45			
		48			
B3038 PROJECT STORAGE DRAWER BASE		24			
		27			
		30			
		33	29	23.25	FIVE EQUAL FULL DEPTH DRAWERS
		36	32	28.25	DRAWERS W/HOODS
		39	34.5	34.25	FULL EXTENSION SLIDES
		42			
		45			
		48			





DRAWER BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B3010 DRAWER BASE		24			
		27			
		30			
		33	29		
		36	32	23.25	FIVE EQUAL DRAWERS
		39	34.5		
		42			
		45			
		48			
B3039 PROJECT STORAGE DRAWER BASE		24			
		27			
		30			
		33	29	23.25	FIVE EQUAL FULL DEPTH DRAWERS
		36	32	28.25	DRAWERS W/HOODS
		39	34.5	34.25	FULL EXTENSION SLIDES
		42			
		45			
		48			
B3011 DRAWER BASE		24			
		27			
		30			
		33	29		
		36	32	23.25	FIVE DRAWERS
		39	34.5		
		42			
		45			
		48			
B3012 DRAWER BASE		24			
		27			
		30			
		33	29		
		36	32	23.25	FIVE DRAWERS
		39	34.5		
		42			
		45			
		48			





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B3013 DRAWER BASE		12 15 18 21 24 27 30 33 36 39 42 45 48	29 32 34.5	23.25	SIX EQUAL DRAWERS
B3040 PROJECT STORAGE DRAWER BASE		24 27 30 33 36 39 42 45 48	29 32 34.5	23.25 28.25 34.25	SIX EQUAL FULL DEPTH DRAWERS DRAWERS W/HOODS FULL EXTENSION SLIDES
B3014 DRAWER BASE		24 27 30 33 36 39 42 45 48	29 32 34.5	23.25	SIX EQUAL DRAWERS
B3041 PROJECT STORAGE DRAWER BASE		24 27 30 33 36 39 42 45 48	29 32 34.5	23.25 28.25 34.25	SIX EQUAL FULL DEPTH DRAWERS DRAWERS W/HOODS FULL EXTENSION SLIDES

DRAWER BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B3015 DRAWER BASE		24	29 32 34.5	23.25	SIX EQUAL DRAWERS
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B3016 DRAWER/ OPEN BASE		24	29 32 34.5	23.25	SIX EQUAL DRAWERS OPEN COMPARTMENT AT TOP
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B3017 DRAWER BASE		24	29 32 34.5	23.25	SIX DRAWERS
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B3018 DRAWER BASE		24	29 32 34.5	23.25	SIX DRAWERS
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B3019 DRAWER BASE		12	32 34.5	23.25	SEVEN EQUAL DRAWERS
		15			
		18			
		21			
		24			
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B3042 PROJECT STORAGE DRAWER BASE		24	32 34.5	23.25 28.25 34.25	SEVEN EQUAL FULL DEPTH DRAWERS DRAWERS W/HOODS FULL EXTENSION SLIDES
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B3020 DRAWER BASE		24	32 34.5	23.25	SEVEN EQUAL DRAWERS
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B3043 PROJECT STORAGE DRAWER BASE		24	32 34.5	23.25 28.25 34.25	SEVEN EQUAL FULL DEPTH DRAWERS DRAWERS W/HOODS FULL EXTENSION SLIDES
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			





DRAWER BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B3021 DRAWER BASE		24 27 30 33 36 39 42 45 48	29 32 34.5	23.25	SEVEN DRAWERS
B3022 DRAWER BASE		24 27 30 33 36 39 42 45 48	29 32 34.5	23.25	SEVEN DRAWERS
B3023 DRAWER BASE		24 27 30 33 36 39 42 45 48	32 34.5	23.25	SEVEN DRAWERS
B3024 DRAWER BASE		24 27 30 33 36 39 42 45 48	32 34.5	23.25	SEVEN DRAWERS




		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B3025 DRAWER BASE		24	32 34.5	23.25	SEVEN DRAWERS
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B3026 DRAWER BASE		24	32 34.5	23.25	SEVEN DRAWERS
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B3027 DRAWER BASE		24	32 34.5	23.25	SEVEN DRAWERS
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B3028 DRAWER BASE		24	32 34.5	23.25	SEVEN DRAWERS
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			





DRAWER BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B3029 DRAWER BASE		12 15 18 21 24 27 30 33 36 39 42 45 48	32 34.5	23.25	EIGHT EQUAL DRAWERS
B3044 PROJECT STORAGE DRAWER BASE		12 15 18 21 24 27 30 33 36 39 42 45 48	32 34.5	23.25 28.25 34.25	EIGHT EQUAL FULL DEPTH DRAWERS DRAWERS W/HOODS FULL EXTENSION SLIDES
B3030 DRAWER BASE		24 27 30 33 36 39 42 45 48	32 34.5	23.25	EIGHT EQUAL DRAWERS
B3045 PROJECT STORAGE DRAWER BASE		24 27 30 33 36 39 42 45 48	32 34.5	23.25 28.25 34.25	EIGHT EQUAL FULL DEPTH DRAWERS DRAWERS W/HOODS FULL EXTENSION SLIDES

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B3031 DRAWER BASE		24	29 32 34.5	23.25	EIGHT EQUAL DRAWERS
		27 30 33 36 39 42 45 48			
B3032 DRAWER BASE		24	32 34.5	23.25	EIGHT DRAWERS
		27 30 33 36 39 42 45 48			
B3033 DRAWER BASE		24	32 34.5	23.25	EIGHT DRAWERS
		27 30 33 36 39 42 45 48			
B3034 DRAWER BASE		36	29 32 34.5	23.25	NINE EQUAL DRAWERS
		39 42 45 48			





DRAWER BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B3035		24 27 30 33 36 39 42 45 48	32 34.5	23.25	TEN DRAWERS
B3036		36 39 42 45 48	29 32 34.5	23.25	TWELVE EQUAL DRAWERS
B3037		24 27 30 33 36 39 42 45 48	32 34.5	23.25	SIXTEEN EQUAL DRAWERS





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B4001 HINGED LEFT B4002 HINGED RIGHT DOOR DRAWER BASE		12			
		15	25.75		
		18	29	23.25	HINGED DOOR DRAWER ONE ADJUSTABLE SHELF
		21	32		
		24	34.5		
B4003 DOOR DRAWER BASE		24			
		27			
		30	25.75		
		33	29	23.25	TWO HINGED DOORS DRAWER ONE ADJUSTABLE SHELF
		36	32		
		39	34.5		
		42			
		45			
		48			
B4004 DOOR DRAWER BASE		24			
		27			
		30	25.75		
		33	29	23.25	TWO HINGED DOORS DRAWER ONE ADJUSTABLE SHELF
		36	32		
		39	34.5		
		42			
		45			
		48			
B4005 DOOR DRAWER BASE		24			
		27			
		30	25.75		
		33	29	23.25	TWO HINGED DOORS DRAWER TWO ADJUSTABLE SHELVES CENTER PARTITION
		36	32		
		39	34.5		
		42			
		45			
		48			





DRAWER BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B4006 DOOR DRAWER BASE		24 27 30 33 36 39 42 45 48	25.75 29 32 34.5	23.25	TWO HINGED DOORS DRAWER TWO ADJUSTABLE SHELVES CENTER PARTITION
B4007 DOOR DRAWER BASE		24 27 30 33 36 39 42 45 48	25.75 29 32 34.5	23.25	TWO HINGED DOORS TWO DRAWERS ONE ADJUSTABLE SHELF
B4008 DOOR DRAWER BASE		24 27 30 33 36 39 42 45 48	25.75 29 32 34.5	23.25	TWO HINGED DOORS TWO DRAWERS TWO ADJUSTABLE SHELVES CENTER PARTITION





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B5001 HINGED LEFT B5002 HINGED RIGHT SINK BASE		12	25.75	23.25	HINGED DOOR REMOVABLE BACK PANEL BLANK DRAWER HEAD SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES (VERIFY HINGING AT REAR)
		15	29		
		18	32		
		21	34.5		
		24			
B5017 HINGED LEFT B5018 HINGED RIGHT SINK BASE		12	25.75	23.25	HINGED DOOR REMOVABLE BACK PANEL REMOVABLE BOTTOM BLANK DRAWER HEAD SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES (VERIFY HINGING AT REAR)
		15	29		
		18	32		
		21	34.5		
		24			
B5003 SINK BASE		24	25.75	23.25	TWO HINGED DOORS REMOVABLE BACK PANEL BLANK DRAWER HEAD SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES
		27	29		
		30	32		
		33	34.5		
		36			
		39			
		42			
		45			
		48			
B5019 SINK BASE		24	25.75	23.25	TWO HINGED DOORS REMOVABLE BACK PANEL REMOVABLE BOTTOM BLANK DRAWER HEAD SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES
		27	29		
		30	32		
		33	34.5		
		36			
		39			
		42			
		45			
		48			



SINK BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B5004 HINGED RIGHT B5005 HINGED LEFT SINK BASE		12	25.75	23.25	HINGED DOOR REMOVABLE BACK PANEL HEAD RAIL ABOVE DOOR SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES (VERIFY HINGING AT REAR)
		15	29		
		18	32		
		21	34.5		
		24			
B5020 HINGED RIGHT B5021 HINGED LEFT SINK BASE		12	25.75	23.25	HINGED DOOR REMOVABLE BACK PANEL REMOVABLE BOTTOM HEAD RAIL ABOVE DOOR SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES (VERIFY HINGING AT REAR)
		15	29		
		18	32		
		21	34.5		
		24			
B5006 SINK BASE		24	25.75	23.25	TWO HINGED DOORS REMOVABLE BACK PANEL HEAD RAIL ABOVE DOORS SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
B5022 SINK BASE		24	25.75	23.25	TWO HINGED DOORS REMOVABLE BACK PANEL REMOVABLE BOTTOM HEAD RAIL ABOVE DOORS SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			


		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
<div>B5007 HINGED LEFT</div> <div>B5008 HINGED RIGHT</div> <div>SINK BASE</div>		12 15 18 21 24	25.75 29 32 34.5	23.25	HINGED DOOR REMOVABLE BACK PANEL SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES (VERIFY HINGING AT REAR)
<div>B5023 HINGED LEFT</div> <div>B5024 HINGED RIGHT</div> <div>SINK BASE</div>		12 15 18 21 24	25.75 29 32 34.5	23.25	HINGED DOOR REMOVABLE BACK PANEL REMOVABLE BOTTOM SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES (VERIFY HINGING AT REAR)
<div>B5009</div> <div>SINK BASE</div>		24 27 30 33 36 39 42 45 48	25.75 29 32 34.5	23.25	TWO HINGED DOORS REMOVABLE BACK PANEL SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES
<div>B5025</div> <div>SINK BASE</div>		24 27 30 33 36 39 42 45 48	25.75 29 32 34.5	23.25	TWO HINGED DOORS REMOVABLE BACK PANEL REMOVABLE BOTTOM SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES

SINK BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B5010 HINGED RIGHT B5011 HINGED LEFT SINK BASE		12	25.75	23.25	HINGED DOOR REMOVABLE BACK PANEL RECESSED PANEL ABOVE DOOR SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES (VERIFY HINGING AT REAR)
		15	29		
		18	32		
		21	34.5		
		24			
B5026 HINGED RIGHT B5027 HINGED LEFT SINK BASE		12	25.75	23.25	HINGED DOOR REMOVABLE BACK PANEL REMOVABLE BOTTOM RECESSED PANEL ABOVE DOOR SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES (VERIFY HINGING AT REAR)
		15	29		
		18	32		
		21	34.5		
		24			
B5012 SINK BASE		24	25.75	23.25	TWO HINGED DOORS REMOVABLE BACK PANEL RECESSED PANEL ABOVE DOOR SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES
		27			
		30			
		33			
		36	29		
		39	32		
		42	34.5		
		45			
		48			
B5028 SINK BASE		24	25.75	23.25	TWO HINGED DOORS REMOVABLE BACK PANEL REMOVABLE BOTTOM RECESSED PANEL ABOVE DOOR SUFFIX -DD FOR DBL DEPTH CABINET W/DOORS BOTH SIDES
		27			
		30			
		33			
		36	29		
		39	32		
		42	34.5		
		45			
		48			








		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B5013 HINGED LEFT B5014 HINGED RIGHT CORNER SINK BASE		36 39 42	25.75 29 32 34.5	23.25	HINGED DOOR REMOVABLE BACK PANEL ONE BLANK DRAWER HEAD WIDTH = WALL SPACE REQUIRED
B5015 HINGED LEFT B5016 HINGED RIGHT CORNER SINK BASE		36 39 42	25.75 29 32 34.5	23.25	HINGED DOOR REMOVABLE BACK PANEL WIDTH = WALL SPACE REQUIRED




SINK BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
D5001 ADA SINK PANEL ASSEMBLY  		30 33 36 39 42 45 48	*29 32	23.25	APRON RAIL ANGLED REMOVABLE PANEL FIXED PANEL 27" KNEE CLEARANCE (*SUITABLE FOR STUDENTS 6-12 ONLY)
D5002 ADA SINK PANEL ASSEMBLY  		30.75 33 36 39 42 45 48	*29 32	23.25	APRON RAIL ANGLED REMOVABLE PANEL FIXED PANEL RIGHT END PANEL 27" KNEE CLEARANCE (*SUITABLE FOR STUDENTS 6-12 ONLY)
D5003 ADA SINK PANEL ASSEMBLY  		30.75 33 36 39 42 45 48	*29 32	23.25	APRON RAIL ANGLED REMOVABLE PANEL FIXED PANEL LEFT END PANEL 27" KNEE CLEARANCE (*SUITABLE FOR STUDENTS 6-12 ONLY)
D5004 ADA SINK PANEL ASSEMBLY  		31.5 33 36 39 42 45 48	*29 32	23.25	APRON RAIL ANGLED REMOVABLE PANEL FIXED PANEL LEFT & RIGHT END PANEL 27" KNEE CLEARANCE (*SUITABLE FOR STUDENTS 6-12 ONLY)





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
D5006 ADA SINK PANEL ASSEMBLY 		30	32	23.25	APRON RAIL ANGLED REMOVABLE PANEL FIXED PANEL 29" KNEE CLEARANCE
		33			
		36			
		39			
		42			
		45			
		48			
D5007 ADA SINK PANEL ASSEMBLY 		30.75	32	23.25	APRON RAIL ANGLED REMOVABLE PANEL FIXED PANEL LEFT END PANEL 29" KNEE CLEARANCE
		33			
		36			
		39			
		42			
		45			
		48			
D5008 ADA SINK PANEL ASSEMBLY 		30.75	32	23.25	APRON RAIL ANGLED REMOVABLE PANEL FIXED PANEL RIGHT END PANEL 29" KNEE CLEARANCE
		33			
		36			
		39			
		42			
		45			
		48			
D5009 ADA SINK PANEL ASSEMBLY 		31.5	32	23.25	APRON RAIL ANGLED REMOVABLE PANEL FIXED PANEL LEFT AND RIGHT END PANEL 29" KNEE CLEARANCE
		33			
		36			
		39			
		42			
		45			
		48			





SINK BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
D5100 ADA POCKET DOOR SINK BASE 		39 42 45 48	*29 32	23.25	TWO POCKET DOORS ANGLED REMOVABLE PANEL 27" KNEE CLEARANCE (*SUITABLE FOR STUDENTS 6-12 ONLY)
D5130 ADA POCKET DOOR SINK BASE 		39 42 45 48	*29	23.25	TWO POCKET DOORS FULL TOE KICK CONVERTIBLE BOTTOM FLIPS UP AS ANGLED PANEL 24" KNEE CLEARANCE (*SUITABLE FOR STUDENTS 6-12 ONLY)
D5140 ADA POCKET DOOR SINK BASE 		39 42 45 48	32	23.25	TWO POCKET DOORS FULL TOE KICK CONVERTIBLE BOTTOM FLIPS UP AS ANGLED PANEL 27" KNEE CLEARANCE
B5210 STANDARD SINK SKIRT ASSEMBLY		24 27 30 33 36 39 42 45 48	23.75	23.25 28.25	ANGLED REMOVABLE PANEL LEFT & RIGHT END PANEL


		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
D5210 ADA SINK SKIRT ASSEMBLY 		24	23.75	23.25 28.25	5" APRON RAIL ANGLED REMOVABLE PANEL LEFT & RIGHT END PANELS MOUNT 9" ABOVE FINISH FLOOR
		27			
		30			
		33			
		36			
		39			
		42			
		45			
B5250 BOX SINK SKIRT ASSEMBLY		24	23.75	23.25 28.25	REMOVABLE FRONT PANEL
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			

CORNER BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B6001 CORNER OPEN BASE		36 39 42	25.75 29 32 34.5	23.25	ONE ADJUSTABLE SHELF WIDTH = WALL SPACE REQUIRED
B6002 HINGED RIGHT B6003 HINGED LEFT CORNER BASE		36 39 42	25.75 29 32 34.5	23.25	HINGED DOOR ONE ADJUSTABLE SHELF WIDTH = WALL SPACE REQUIRED
B6004 HINGED RIGHT B6005 HINGED LEFT CORNER CAROUSEL BASE		36 39 42	29 32 34.5	23.25	HINGED DOOR TWO REVOLVING SHELVES WIDTH = WALL SPACE REQUIRED
B6006 CORNER CAROUSEL BASE		36 39 42	29 32 34.5	23.25	TWO REVOLVING DOORS TWO REVOLVING SHELVES WIDTH = WALL SPACE REQUIRED





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B6007 CORNER CAROUSEL BASE		36	32	23.25	TWO REVOLVING DOORS TWO REVOLVING SHELVES WIDTH = WALL SPACE REQUIRED
		39	34.5		
		42			
B6008 PANEL RIGHT B6009 PANEL LEFT DEAD CORNER TURNOUT BASE		*42 45 48	32 34.5	23.25	DOOR HINGED TO PANEL TWO TURNOUT SHELVES WIDTH = WALL SPACE REQUIRED (*42" REQUIRES 45" WALL SPACE)
B6010 PANEL RIGHT B6011 PANEL LEFT DEAD CORNER TURNOUT BASE		*42 45 48	32 34.5	23.25	DOOR HINGED TO PANEL ONE DRAWER TWO TURNOUT SHELVES WIDTH = WALL SPACE REQUIRED (*42" REQUIRES 45" WALL SPACE)
B6012 PANEL RIGHT B6013 PANEL LEFT DEAD CORNER BASE		36 39 42 45 48	25.75 29 32 34.5	23.25	DOOR HINGED TO PANEL ONE ADJUSTABLE SHELF SPECIFY DOOR OPENING SIZE: 10.5", 13.5", 16.5", 19.5", OR 22.5"


CORNER BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
<div> B6014 HINGED RIGHT </div> <div> B6015 HINGED LEFT </div> <div> DEAD CORNER BASE </div>		36			DOOR HINGED TO PANEL ONE DRAWER ABOVE ONE ADJUSTABLE SHELF SPECIFY DOOR OPENING SIZE: 10.5", 13.5", 16.5", 19 .5", OR 22.5"
		39	29		
		42	32	23.25	
		45	34.5		
		48			





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B7001 HINGED LEFT B7002 HINGED RIGHT TOTE TRAY BASE		12	25.75	23.25	HINGED DOOR ONE DRAWER NOMINAL TOTE SIZES 12"- (3) 7.5" WIDE TOTE TRAYS 15"- (3) 9.5" WIDE TOTE TRAYS 18"- (3) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
		15	29		
		18	32		
			34.5		
B7003 HINGED LEFT B7004 HINGED RIGHT TOTE TRAY BASE		12	32	23.25	HINGED DOOR ONE DRAWER NOMINAL TOTE SIZES 12"- (4) 7.5" WIDE TOTE TRAYS 15"- (4) 9.5" WIDE TOTE TRAYS 18"- (4) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
		15			
		18			
			34.5		
B7005 HINGED LEFT B7006 HINGED RIGHT TOTE TRAY BASE		12	25.75	23.25	HINGED DOOR NOMINAL TOTE SIZES 12"- (4) 7.5" WIDE TOTE TRAYS 15"- (4) 9.5" WIDE TOTE TRAYS 18"- (4) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
		15	29		
		18	32		
			34.5		
B7007 HINGED LEFT B7008 HINGED RIGHT TOTE TRAY BASE		12	29	23.25	HINGED DOOR NOMINAL TOTE SIZES 12"- (5) 7.5" WIDE TOTE TRAYS 15"- (5) 9.5" WIDE TOTE TRAYS 18"- (5) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
		15	32		
		18	34.5		

TOTE TRAY BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B7009 HINGED RIGHT B7010 HINGED LEFT TOTE TRAY BASE		12	32	23.25	HINGED DOOR NOMINAL TOTE SIZES 12"- (6) 7.5" WIDE TOTE TRAYS 15"- (6) 9.5" WIDE TOTE TRAYS 18"- (6) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
		15	34.5		
		18			
B7011 HINGED RIGHT B7012 HINGED LEFT TOTE TRAY BASE		21	25.75	23.25	HINGED DOOR NOMINAL TOTE SIZES 21"- (8) 7.5" WIDE TOTE TRAYS 24"- (8) 9.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
		24	29		
			32		
			34.5		
B7013 TOTE TRAY BASE		24	25.75	23.25	TWO HINGED DOORS NOMINAL TOTE SIZES 24"- (8) 9.5" WIDE TOTE TRAYS 27"- (8) 9.5" WIDE TOTE TRAYS 30"- (8) 12.5" WIDE TOTE TRAYS 33"- (8) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
		27	29		
		30	32		
		33	34.5		
B7014 HINGED RIGHT B7015 HINGED LEFT TOTE TRAY BASE		21	29	23.25	HINGED DOOR NOMINAL TOTE SIZES 21"- (10) 7.5" WIDE TOTE TRAYS 24"- (10) 9.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
		24	32		
			34.5		





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
<div>B7016</div> <div>TOTE TRAY BASE</div> <div></div>		24 27 30 33	29 32 34.5	23.25	TWO HINGED DOORS NOMINAL TOTE SIZES 24"- (10) 9.5" WIDE TOTE TRAYS 27"- (10) 9.5" WIDE TOTE TRAYS 30"- (10) 12.5" WIDE TOTE TRAYS 33"- (10) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
<div>B7017 HINGED LEFT</div> <div>B7018 HINGED RIGHT</div> <div>TOTE TRAY BASE</div> <div></div>		21 24	32 34.5	23.25	HINGED DOOR NOMINAL TOTE SIZES 21"- (12) 7.5" WIDE TOTE TRAYS 24"- (12) 9.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
<div>B7019</div> <div>TOTE TRAY BASE</div> <div></div>		24 27 30 33	32 34.5	23.25	TWO HINGED DOORS NOMINAL TOTE SIZES 24"- (12) 9.5" WIDE TOTE TRAYS 27"- (12) 9.5" WIDE TOTE TRAYS 30"- (12) 12.5" WIDE TOTE TRAYS 33"- (12) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
<div>B7020</div> <div>TOTE TRAY BASE</div> <div></div>		36 39 42 45 48	25.75 29 32 34.5	23.25	TWO HINGED DOORS NOMINAL TOTE SIZES 36"- (12) 9.5" WIDE TOTE TRAYS 39"- (12) 9.5" WIDE TOTE TRAYS 42"- (12) 9.5" WIDE TOTE TRAYS 45"- (12) 12.5" WIDE TOTE TRAYS 48"- (12) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY





TOTE TRAY BASE CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B7021 TOTE TRAY BASE 		36 39 42 45 48	29 32 34.5	23.25	TWO HINGED DOORS NOMINAL TOTE SIZES 36"- (15) 9.5" WIDE TOTE TRAYS 39"- (15) 9.5" WIDE TOTE TRAYS 42"- (15) 9.5" WIDE TOTE TRAYS 45"- (15) 12.5" WIDE TOTE TRAYS 48"- (15) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
B7022 TOTE TRAY BASE 		39 42 45 48	25.75 29 32 34.5	23.25	TWO HINGED DOORS NOMINAL TOTE SIZES 39"- (16) 7.5" WIDE TOTE TRAYS 42"- (16) 7.5" WIDE TOTE TRAYS 45"- (16) 7.5" WIDE TOTE TRAYS 48"- (16) 9.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
B7023 TOTE TRAY BASE 		36 39 42 45 48	32 34.5	23.25	TWO HINGED DOORS NOMINAL TOTE SIZES 36"- (18) 9.5" WIDE TOTE TRAYS 39"- (18) 9.5" WIDE TOTE TRAYS 42"- (18) 9.5" WIDE TOTE TRAYS 45"- (18) 12.5" WIDE TOTE TRAYS 48"- (18) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
B7024 TOTE TRAY BASE 		39 42 45 48	29 32 34.5	23.25	TWO HINGED DOORS NOMINAL TOTE SIZES 39"- (20) 7.5" WIDE TOTE TRAYS 42"- (20) 7.5" WIDE TOTE TRAYS 45"- (20) 7.5" WIDE TOTE TRAYS 48"- (20) 9.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY





[illegible]




SPECIALTY CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B1014 RIGHT END UNIT BASE		13.25	29 32 34.5	23.25	DECORATIVE END-CAP UNIT 8" RADIUSED BOTTOM AND SHELF
B1015 LEFT END UNIT BASE		13.25	29 32 34.5	23.25	DECORATIVE END-CAP UNIT 8" RADIUSED BOTTOM AND SHELF
B1016 ISLAND END UNIT BASE		13.25	29 32 34.5	13.25	DECORATIVE END-CAP UNIT 8" RADIUSED BOTTOM AND SHELF
B1017 ISLAND END UNIT BASE		46.5	29 32 34.5	13.25	DECORATIVE END-CAP UNIT 8" RADIUSED BOTTOM AND SHELF





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
<div>B2030</div> <div>TILT-OUT WASTE BASE</div> <div></div>		15 18 21 24	29 32 34.5	23.25	BOTTOM HINGED DOOR DOOR MOUNTED WASTE HOLDS ONE #2957 WASTE BIN
<div>B2031</div> <div>SLIDE-OUT WASTE BASE</div> <div></div>		15 18 21 24	29 32 34.5	23.25	SLIDE OUT DOOR DOOR MOUNTED WASTE HOLDS ONE #2957 WASTE BIN
<div>B2035 HINGED LEFT</div> <div>B2036 HINGED RIGHT</div> <div>FLIPPER DOOR WASTE BASE</div> <div></div>		15 18 21 24	34.5	23.25	HINGED DOOR WITH GROMMET FLIPPER DOOR BEHIND HOLDS ONE #2957 WASTE BIN
<div>B2037 HINGED LEFT</div> <div>B2038 HINGED RIGHT</div> <div>GROMMET WASTE BASE</div> <div></div>		15 18 21 24	34.5	23.25	HINGED DOOR WITH GROMMET HOLDS ONE #2957 WASTE BIN





SPECIALTY CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B2039 HINGED LEFT B2040 HINGED RIGHT OPEN WASTE BASE		15 18 21 24	34.5	23.25	HINGED DOOR OPEN AREA ABOVE HOLDS ONE #2957 WASTE BIN
B2063 HINGED LEFT B2064 HINGED RIGHT SEWING MACHINE BASE		24	32 34.5	23.25	HINGED DOOR PULLOUT SEWING ASSEMBLY VERIFY SEWING MACHINE REQ'D SEWING MACHINE NOT INCLUDED
B2059 HINGED LEFT B2060 HINGED RIGHT STAND MIXER BASE		18 21	*32 34.5	23.25	HINGED DOOR SLIDING TRAY AT BOTTOM SWING-UP SEWING ASSEMBLY VERIFY STAND MIXER REQ'D STAND MIXER NOT INCLUDED *32" WILL NOT INCLUDE SLIDING TRAY
B2081 HINGED LEFT B2082 HINGED RIGHT TOWEL STORAGE BASE		9	32 34.5	23.25	HINGED DOOR ONE PULLOUT TOWEL DRYING RACK STORAGE FOR DETERGENTS, ETC





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
B2083 HINGED LEFT B2084 HINGED RIGHT TRAY STORAGE BASE		9	32	23.25	HINGED DOOR ONE TRAY PARTITION CENTERED ONE FIXED SHELF ON RIGHT
		12	34.5		
		15			
B2085 SLIDING UTENSIL STORAGE BASE		9	32	23.25	HINGED DOOR ON PULLOUT UTENSIL ASSEMBLY SPECIFY ASSEMBLY ON RIGHT OR LEFT
B2086 PANTRY STORAGE BASE		36	32	23.25	HINGED DOORS ADJUSTABLE WIRE DOOR RACKS SHALLOW DEPTH SHELVING AT REAR SWING-OUT WIRE BASKETS





OPEN WALL CABINETS

WIDTHS HEIGHTS DEPTHS DESCRIPTION				
W0000 WALL CABINET MOD-IFIER 	SPECIFY	SPECIFY	SPECIFY	
W1001 OPEN WALL 	12 15 18 21 24 27 30 33 36 39 42 45 48	12 15 16 19 24 25 31 32 36 42 48	13.25 15.25	
W1002 OPEN WALL 	12 15 18 21 24 27 30 33 36 39 42 45 48	15 16 19 24 25 31 32 36 42 48	13.25 15.25	ONE ADJUSTABLE SHELF
W1003 OPEN WALL 	12 15 18 21 24 27 30 33 36 39 42 45 48	19 24 25 31 32 36 42 48	13.25 15.25	TWO ADJUSTABLE SHELVES





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W1004 OPEN WALL		12			THREE ADJUSTABLE SHELVES
		15			
		18			
		21			
		24	31		
		27	32	13.25	
		30	36	15.25	
		33	42		
		36	48		
		39			
		42			
		45			
		48			
W2001 HINGED LEFT W2002 HINGED RIGHT DOOR WALL			12		HINGED DOOR
			15		
			16		
		12	19		
		15	24	13.25	
		18	25	15.25	
		21	31		
		24	32		
			36		
			42		
			48		
W2003 HINGED LEFT W2004 HINGED RIGHT DOOR WALL			15		HINGED DOOR ONE ADJUSTABLE SHELF
			16		
			19		
		12	24	13.25	
		15	25	15.25	
		18	31		
		21	32		
		24	36		
			42		
			48		
W2005 HINGED LEFT W2006 HINGED RIGHT DOOR WALL			24		HINGED DOOR TWO ADJUSTABLE SHELF
			25		
		12	31	13.25	
		15	32	15.25	
		18	36		
		21	42		
		24	48		





DOOR CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W2007 HINGED LEFT W2008 HINGED RIGHT DOOR WALL		12	31		HINGED DOOR THREE ADJUSTABLE SHELVES
		15	32	13.25	
		18	36	15.25	
		21	42		
		24	48		
W2009 DOOR WALL		24	12		TWO HINGED DOORS
		27	15		
		30	16		
		33	19		
		36	24	13.25	
		39	25	15.25	
		42	31		
		45	32		
		48	36		
			42		
W2010 DOOR WALL		24	15		TWO HINGED DOORS ONE ADJUSTABLE SHELF
		27	16		
		30	19		
		33	24		
		36	25	13.25	
		39	31	15.25	
		42	32		
		45	36		
		48	42		
			48		
W2011 DOOR WALL		24	24		TWO HINGED DOORS TWO ADJUSTABLE SHELVES
		27	25		
		30	31		
		33	32	13.25	
		36	36	15.25	
		39	42		
		42	42		
		45	48		
		48			





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W2012 DOOR WALL		24			
		27			
		30	31	13.25	TWO HINGED DOORS
		33	32	15.25	THREE ADJUSTABLE SHELVES
		36	36		
		39	42		
		42	48		
		45			
		48			
W2101 HINGED LEFT W2102 HINGED RIGHT FRAMED GLASS DOOR WALL		12	15		
		15	16		
		18	19		
		21	24	13.25	HINGED DOOR
		24	25	15.25	FRAMED GLASS DOOR
			31		
			32		
			36		
W2103 HINGED LEFT W2104 HINGED RIGHT FRAMED GLASS DOOR WALL		12	15		
		15	16		
		18	19		
		21	24	13.25	HINGED DOOR
		24	25	15.25	FRAMED GLASS DOOR
			31		ONE ADJUSTABLE SHELF
			32		
			36		
W2105 HINGED LEFT W2106 HINGED RIGHT FRAMED GLASS DOOR WALL		12	24		
		15	25		
		18	31	13.25	HINGED DOOR
		21	32	15.25	FRAMED GLASS DOOR
		24	36		ONE ADJUSTABLE SHELF
			42		
			48		





DOOR CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W2107 HINGED LEFT W2108 HINGED RIGHT FRAMED GLASS DOOR WALL		12	31	13.25 15.25	HINGED DOOR FRAMED GLASS DOOR THREE ADJUSTABLE SHELVES
		15	32		
		18	36		
		21	42		
		24	48		
W2109 FRAMED GLASS DOOR WALL		24	15	13.25 15.25	HINGED DOORS FRAMED GLASS DOORS
		27	16		
		30	19		
		33	24		
		36	31		
		39	32		
		42	36		
		45	42		
		48	48		
W2110 FRAMED GLASS DOOR WALL		24	15	13.25 15.25	HINGED DOORS FRAMED GLASS DOORS ONE ADJUSTABLE SHELF
		27	16		
		30	19		
		33	24		
		36	31		
		39	32		
		42	36		
		45	42		
		48	48		
W2111 FRAMED GLASS DOOR WALL		24	15	13.25 15.25	HINGED DOORS FRAMED GLASS DOORS TWO ADJUSTABLE SHELVES
		27	16		
		30	19		
		33	24		
		36	31		
		39	32		
		42	36		
		45	42		
		48	48		





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W2112		24 27 30 33 36 39 42 45 48	31 32 36 42 48	13.25 15.25	HINGED DOORS FRAMED GLASS DOORS THREE ADJUSTABLE SHELVES
W6001		23.25 25.25	19 24 31 32 36 42 48	13.25 15.25	ONE ADJUSTABLE SHELF (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)
W6002		23.25 25.25	31 32 36 42 48	13.25 15.25	TWO ADJUSTABLE SHELVES (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)
W6003		23.25 25.25	36 42 48	13.25 15.25	THREE ADJUSTABLE SHELVES (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)





CORNER WALL CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W6004 HINGED RIGHT W6005 HINGED LEFT CORNER DOOR WALL		23.25 25.25	19 24 31 32 36 42 48	13.25 15.25	HINGED DOOR ONE ADJUSTABLE SHELF REQUIRES 1.75" FILLER BETWEEN ADJOINING CABINETRY (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)
W6006 HINGED RIGHT W6007 HINGED LEFT CORNER DOOR WALL		23.25 25.25	31 32 36 42 48	13.25 15.25	HINGED DOOR TWO ADJUSTABLE SHELVES REQUIRES 1.75" FILLER BETWEEN ADJOINING CABINETRY (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)
W6008 HINGED RIGHT W6009 HINGED LEFT CORNER DOOR WALL		23.25 25.25	36 42 48	13.25 15.25	HINGED DOOR THREE ADJUSTABLE SHELVES REQUIRES 1.75" FILLER BETWEEN ADJOINING CABINETRY (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)
W6102 HINGED RIGHT W6101 HINGED LEFT CORNER DOOR WALL		23.25 25.25	19 24 31 32 36 42 48	13.25 15.25	HINGED FRAMED GLASS DOOR ONE ADJUSTABLE SHELF REQUIRES 1.75" FILLER BETWEEN ADJOINING CABINETRY (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W6104 HINGED RIGHT W6103 HINGED LEFT CORNER DOOR WALL		23.25 25.25	31 32 36 42 48	13.25 15.25	HINGED FRAMED GLASS DOOR TWO ADJUSTABLE SHELVES REQUIRES 1.75" FILLER BETWEEN ADJOINING CABINETRY (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)
W6106 HINGED RIGHT W6105 HINGED LEFT CORNER DOOR WALL		23.25 25.25	36 42 48	13.25 15.25	HINGED FRAMED GLASS DOOR THREE ADJUSTABLE SHELVES REQUIRES 1.75" FILLER BETWEEN ADJOINING CABINETRY (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)
W6010 HINGED RIGHT W6011 HINGED LEFT CORNER CAROUSEL WALL		23.25 25.25	24 31 32 36 42 48	13.25 15.25	HINGED DOOR TWO REVOLVING ADJUSTABLE SHELF REQUIRES 1.75" FILLER BETWEEN ADJOINING CABINETRY (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)
W6012 HINGED RIGHT W6013 HINGED LEFT CORNER CAROUSEL WALL		23.25 25.25	31 32 36 42 48	13.25 15.25	HINGED DOOR THREE REVOLVING ADJ SHELVES REQUIRES 1.75" FILLER BETWEEN ADJOINING CABINETRY (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)





CORNER WALL CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W6014 HINGED RIGHT W6015 HINGED LEFT CORNER CAROUSEL WALL		23.25	42	13.25	HINGED DOOR FOUR REVOLVING ADJ SHELVES REQUIRES 1.75" FILLER BETWEEN ADJOINING CABINETS (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)
		25.25	48	15.25	
W6016 CORNER CAROUSEL WALL		23.25 25.25	24 31 32 36 42 48	13.25 15.25	REVOLVING DOORS TWO REVOLVING ADJ SHELVES (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)
W6017 CORNER CAROUSEL WALL		23.25 25.25	31 32 36 42 48	13.25 15.25	REVOLVING DOORS THREE REVOLVING ADJ SHELVES (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)
W6018 CORNER CAROUSEL WALL		23.25 25.25	31 32 36 42 48	13.25 15.25	REVOLVING DOORS FOUR REVOLVING ADJ SHELVES (13.25" REQUIRES 23.25" WALL SPACE) (15.25" REQUIRES 25.25" WALL SPACE)





		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W6019 PANEL LEFT W6020 PANEL RIGHT DEAD CORNER WALL		30 33 36 39	15 19 24 31 32 36 42 48	13.25 15.25	HINGED DOOR HINGES TO FULL FINISHED PANEL
W6021 PANEL LEFT W6022 PANEL RIGHT DEAD CORNER WALL		30 33 36 39	19 24 31 32 36 42 48	13.25 15.25	HINGED DOOR HINGES TO FULL FINISHED PANEL ONE ADJUSTABLE SHELF
W6023 PANEL LEFT W6024 PANEL RIGHT DEAD CORNER WALL		30 33 36 39	31 32 36 42 48	13.25 15.25	HINGED DOOR HINGES TO FULL FINISHED PANEL TWO ADJUSTABLE SHELVES
W6025 PANEL LEFT W6026 PANEL RIGHT DEAD CORNER WALL		30 33 36 39	36 42 48	13.25 15.25	HINGED DOOR HINGES TO FULL FINISHED PANEL THREE ADJUSTABLE SHELVES



CORNER WALL CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W6107 PANEL LEFT W6108 PANEL RIGHT DEAD CORNER WALL		30 33 36 39	15 19 24 31 32 36 42 48	13.25 15.25	HINGED FRAMED GLASS DOOR HINGES TO FULL FINISHED PANEL
W6109 PANEL LEFT W6110 PANEL RIGHT DEAD CORNER WALL		30 33 36 39	19 24 31 32 36 42 48	13.25 15.25	HINGED FRAMED GLASS DOOR HINGES TO FULL FINISHED PANEL ONE ADJUSTABLE SHELF
W6111 PANEL LEFT W6112 PANEL RIGHT DEAD CORNER WALL		30 33 36 39	31 32 36 42 48	13.25 15.25	HINGED FRAMED GLASS DOOR HINGES TO FULL FINISHED PANEL TWO ADJUSTABLE SHELVES
W6113 PANEL LEFT W6114 PANEL RIGHT DEAD CORNER WALL		30 33 36 39	36 42 48	13.25 15.25	HINGED FRAMED GLASS DOOR HINGES TO FULL FINISHED PANEL THREE ADJUSTABLE SHELVES




		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W6027 PANEL LEFT W6028 PANEL RIGHT DEAD CORNER WALL		39 42 45 48	15 19 24 31 32 36 42 48	13. 25 15. 25	HINGED DOORS
W6029 PANEL LEFT W6030 PANEL RIGHT DEAD CORNER WALL		39 42 45 48	19 24 31 32 36 42 48	13. 25 15. 25	HINGED DOORS ONE ADJUSTABLE SHELF
W6031 PANEL LEFT W6032 PANEL RIGHT DEAD CORNER WALL		39 42 45 48	31 32 36 42 48	13. 25 15. 25	HINGED DOORS TWO ADJUSTABLE SHELVES
W6033 PANEL LEFT W6034 PANEL RIGHT DEAD CORNER WALL		39 42 45 48	36 42 48	13. 25 15. 25	HINGED DOORS THREE ADJUSTABLE SHELVES



CORNER WALL CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W6115 PANEL LEFT W6116 PANEL RIGHT DEAD CORNER WALL		39 42 45 48	15 19 24 31 32 36 42 48	13.25 15.25	HINGED FRAMED GLASS DOORS
W6117 PANEL LEFT W6118 PANEL RIGHT DEAD CORNER WALL		39 42 45 48	19 24 31 32 36 42 48	13.25 15.25	HINGED FRAMED GLASS DOORS ONE ADJUSTABLE SHELF
W6119 PANEL LEFT W6120 PANEL RIGHT DEAD CORNER WALL		39 42 45 48	31 32 36 42 48	13.25 15.25	HINGED FRAMED GLASS DOORS TWO ADJUSTABLE SHELVES
W6121 PANEL LEFT W6122 PANEL RIGHT DEAD CORNER WALL		39 42 45 48	36 42 48	13.25 15.25	HINGED FRAMED GLASS DOORS THREE ADJUSTABLE SHELVES




		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
W3001 OPEN MICROWAVE WALL		27	31	13.25 15.25	FIXED CENTER SHELF FINISHED INTERIOR 17" DEEP BOTTOM SHELF SUFFIX -R FOR RADIUSED SHELF
		30			
		33			
		36			
W3002 DOOR MICROWAVE WALL		27	31	13.25 15.25	HINGED DOORS FIXED CENTER SHELF FINISHED INTERIOR 17" DEEP BOTTOM SHELF SUFFIX -R FOR RADIUSED SHELF
		30			
		33			
		36			




OPEN TALL CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T0000 TALL CABINET MOD-IFIER		SPECIFY	SPECIFY	SPECIFY	
T1001 OPEN STORAGE TALL		12 15 18 21 24 27 30 33 36 39 42 45 48	48 54 60 66 72 78 84	13.25 15.25 23.25 28.25	ONE FIXED CENTER SHELF TWO ADJUSTABLE SHELVES
T1002 OPEN STORAGE TALL		12 15 18 21 24 27 30 33 36 39 42 45 48	48 54 60 66 72 78 84	13.25 15.25 23.25 28.25	ONE FIXED CENTER SHELF FOUR ADJUSTABLE SHELVES



		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T1003 OPEN STORAGE TALL		12			
		15			
		18			
		21	48		
		24	54	13.25	ONE VERTICAL PARTITION
		27	60	15.25	TWO FIXED CENTER SHELVES
		30	66	23.25	FOUR ADJUSTABLE SHELVES
		33	72	28.25	
		36	78		
		39	84		
		42			
		45			
		48			
T1004 OPEN STORAGE TALL		12			
		15			
		18			
		21	48		
		24	54	13.25	ONE VERTICAL PARTITION
		27	60	15.25	TWO FIXED CENTER SHELVES
		30	66	23.25	EIGHT ADJUSTABLE SHELVES
		33	72	28.25	
		36	78		
		39	84		
		42			
		45			
		48			




OPEN TALL CABINETS




		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T2001 HINGED LEFT T2002 HINGED RIGHT DOOR GENERAL STORAGE TALL		12	84	15.25 23.25 28.25	HINGED DOOR ONE FIXED CENTER SHELF FOUR ADJUSTABLE SHELVES
		15			
		18			
		21			
		24			
T2101 HINGED LEFT T2102 HINGED RIGHT FRAMED GLASS DOOR GENERAL STORAGE TALL		12	84	15.25 23.25 28.25	HINGED DOOR FRAMED GLASS DOOR ONE FIXED CENTER SHELF FOUR ADJUSTABLE SHELVES
		15			
		18			
		21			
		24			
T2003 DOOR GENERAL STORAGE TALL		24	84	15.25 23.25 28.25	HINGED DOORS ONE FIXED CENTER SHELF FOUR ADJUSTABLE SHELVES
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			




		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T2103 FRAMED GLASS DOOR GENERAL STORAGE TALL		24	84	15.25 23.25 28.25	HINGED DOORS FRAMED GLASS DOORS ONE FIXED CENTER SHELF FOUR ADJUSTABLE SHELVES
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
T2004 DOOR GENERAL STORAGE TALL		24	84	15.25 23.25 28.25	HINGED DOORS ONE CENTER PARTITION TWO FIXED CENTER SHELVES EIGHT ADJUSTABLE SHELVES
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
T2005 HINGED LEFT T2006 HINGED RIGHT SPLIT DOOR GENERAL STORAGE TALL		12	84	15.25 23.25 28.25	HINGED DOORS FIXED CENTER FLOOR FOUR ADJUSTABLE SHELVES
		15			
		18			
		21			
		24			




DOOR TALL CABINETS




		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T2007 SPLIT DOOR GENERAL STORAGE TALL		24 27 30 33 36 39 42 45 48	84	15.25 23.25 28.25	HINGED DOORS FIXED CENTER FLOOR FOUR ADJUSTABLE SHELVES
T2008 DOOR FLEXIBLE STORAGE TALL		24 27 30 33 36 39 42 45 48	84	15.25 23.25 28.25	HINGED DOORS THREE VERTICAL PARTITIONS FOUR FIXED CENTER SHELVES SIXTEEN ADJUSTABLE SHELVES


		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T3001 HINGED LEFT T3002 HINGED RIGHT TEACHER WARDROBE TALL		12	84	23.25	HINGED DOOR FIXED SHELF CHROME HANGER ROD MIRROR AND PIN TRAY
		15			
		18			
		21			
		24			
T3003 TEACHER WARDROBE TALL		24	84	23.25	HINGED DOORS TWO FIXED SHELVES CHROME HANGER ROD MIRROR AND PIN TRAY TWO ADJUSTABLE SHELVES
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
T3004 TEACHER WARDROBE TALL		24	84	23.25	HINGED DOORS TWO FIXED SHELVES CHROME HANGER ROD MIRROR AND PIN TRAY TWO ADJUSTABLE SHELVES
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			




		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T3005 TEACHER WARDROBE TALL		30 33 36 39 42 45 48	84	23.25	HINGED DOORS TWO FIXED SHELVES CHROME HANGER ROD MIRROR AND PIN TRAY TWO LETTER FILE DRAWERS CARD HOLDERS FILE RAILS ADJUSTABLE SHELF
T3006 TEACHER WARDROBE TALL		30 33 36 39 42 45 48	84	23.25	HINGED DOORS TWO FIXED SHELVES CHROME HANGER ROD MIRROR AND PIN TRAY TWO LETTER FILE DRAWERS CARD HOLDERS FILE RAILS ADJUSTABLE SHELF
T3007 TEACHER WARDROBE TALL		30 33 36 39 42 45 48	84	23.25	HINGED DOORS TWO FIXED SHELVES CHROME HANGER ROD MIRROR AND PIN TRAY STANDARD DRAWER TWO LETTER FILE DRAWERS CARD HOLDERS FILE RAILS ADJUSTABLE SHELF

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T3008 TEACHER WARDROBE TALL		30 33 36 39 42 45 48	84	23.25	HINGED DOORS TWO FIXED SHELVES CHROME HANGER ROD MIRROR AND PIN TRAY STANDARD DRAWER TWO LETTER FILE DRAWERS CARD HOLDERS FILE RAILS ADJUSTABLE SHELF
T3009 TEACHER WARDROBE TALL		36 39 42 45 48	84	23.25	HINGED DOORS TWO FIXED SHELVES CHROME HANGER ROD MIRROR AND PIN TRAY THREE FILE DRAWERS CARD HOLDERS FILE RAILS TWO ADJUSTABLE SHELVES
T3010 TEACHER WARDROBE TALL		36 39 42 45 48	84	23.25	HINGED DOORS TWO FIXED SHELVES CHROME HANGER ROD MIRROR AND PIN TRAY THREE FILE DRAWERS CARD HOLDERS FILE RAILS TWO ADJUSTABLE SHELVES



		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
<div>T3011</div> <div>TEACHER WARDROBE TALL</div> <div></div>		30 33 36 39 42 45 48	84	23.25	HINGED DOORS FIXED FLOOR FIXED SHELF CHROME HANGER ROD MIRROR AND PIN TRAY FOUR ADJUSTABLE SHELVES
<div>T3012</div> <div>TEACHER WARDROBE TALL</div> <div></div>		30 33 36 39 42 45 48	84	23.25	HINGED DOORS FIXED FLOOR FIXED SHELF CHROME HANGER ROD MIRROR AND PIN TRAY FOUR ADJUSTABLE SHELVES
<div>T3013</div> <div>HINGED LEFT</div> <div><div>T3014</div><div>HINGED RIGHT</div><div>TEACHER WARDROBE TALL</div><div></div></div>		12 15 18 21 24	84	23.25	HINGED DOOR FIXED SHELF FIXED CHROME HANGER ROD ADJUSTABLE CHROME HANGER ROD




		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T3015 TEACHER WARDROBE TALL		24	84	23.25	HINGED DOORS FIXED SHELF FIXED CHROME HANGER ROD ADJUSTABLE CHROME HANGER ROD
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			
T3021 HINGED LEFT T3022 HINGED RIGHT TEACHER WARDROBE TALL		12	84	23.25	HINGED DOOR FIXED FLOOR ONE FIXED SHELF CHROME HANGER ROD MIRROR AND PIN TRAY TWO DRAWERS
		15			
		18			
		21			
		24			
T3023 TEACHER WARDROBE TALL		24	84	23.25	HINGED DOORS FIXED FLOOR ONE FIXED SHELF CHROME HANGER ROD MIRROR AND PIN TRAY TWO DRAWERS
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T3024 TEACHER WARDROBE TALL		24	84	23.25	HINGED DOORS FIXED FLOOR ONE FIXED SHELF CHROME HANGER ROD MIRROR AND PIN TRAY TWO DRAWERS
		27			
		30			
		33			
		36			
		39			
		42			
		45			
		48			




		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T4001 HINGED LEFT T4002 HINGED RIGHT		12 15 18 21 24	84	15.25 23.25 28.25	HINGED DOOR FIXED CENTER FLOOR TWO ADJUSTABLE SHELVES ABOVE FOUR EQUAL DRAWERS BELOW
T4003 DOOR DRAWER GENERAL STORAGE TALL		24 27 30 33 36 39 42 45 48	84	15.25 23.25 28.25	HINGED DOORS FIXED CENTER FLOOR TWO ADJUSTABLE SHELVES ABOVE FOUR EQUAL DRAWERS BELOW
T4004 DOOR DRAWER GENERAL STORAGE TALL		24 27 30 33 36 39 42 45 48	84	15.25 23.25 28.25	HINGED DOORS FIXED CENTER FLOOR TWO ADJUSTABLE SHELVES ABOVE FOUR EQUAL DRAWERS BELOW




COMBINATION TALL CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T4005 DOOR DRAWER GENERAL STORAGE TALL		24 27 30 33 36 39 42 45 48	84	15.25 23.25 28.25	HINGED DOORS FIXED CENTER FLOOR TWO ADJUSTABLE SHELVES ABOVE EIGHT EQUAL DRAWERS BELOW
T4006 DOOR DRAWER GENERAL STORAGE TALL		24 27 30 33 36 39 42 45 48	84	15.25 23.25 28.25	HINGED DOORS FIXED CENTER FLOOR TWO ADJUSTABLE SHELVES ABOVE EIGHT EQUAL DRAWERS BELOW




		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T5001 HINGED LEFT T5002 HINGED RIGHT APRON SMOCK STORAGE TALL		18	84	23.25	HINGED DOOR FIXED SHELF TWO APRON CARRIERS (24) TOTAL HOOKS TWO LOUVERS
		21			
		24			
T5003 APRON SMOCK STORAGE TALL		36	84	23.25	HINGED DOORS FIXED SHELF THREE APRON CARRIERS (36) TOTAL HOOKS FOUR LOUVERS
		39			
		42			
		45			
		48			
T5005 HINGED LEFT T5004 HINGED RIGHT APRON SMOCK STORAGE TALL		18	84	23.25	HINGED DOOR FIXED SHELF ADJUSTABLE SHELF FOUR APRON CARRIERS (48) TOTAL HOOKS TWO LOUVERS
		21			
		24			




SPECIALTY TALL CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T5006 APRON SMOCK STORAGE TALL		36 39 42 45 48	84	23.25	HINGED DOORS FIXED SHELF ADJUSTABLE SHELF SIX APRON CARRIERS (72) TOTAL HOOKS FOUR LOUVERS
T5007 DISPLAY CASE		24 27 30 33 36 39 42 45 48	84	23.25	SLIDING GLASS DOORS ABOVE HINGED DOORS BELOW THREE ADJUSTABLE GLASS SHELVES ADJUSTABLE SHELF FLUORESCENT LIGHT FIXTURE SWITCH CUTOUT W/BOX PLATE AND SWITCH NOT INCLUDED
T5008 DISPLAY CASE		24 27 30 33 36 39 42 45 48	84	23.25	SLIDING GLASS DOORS ABOVE HINGED DOORS BELOW THREE ADJUSTABLE GLASS SHELVES ADJUSTABLE SHELF




		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T5009 HINGED LEFT T5010 HINGED RIGHT CLEANING STORAGE TALL		18 21 24	84	23.25	HINGED DOOR FIXED SHELF PARTIAL PEGBOARD INTERIOR FOUR SINGLE HOOKS TWO LOUVERS TWO BROOM CLIPS
T5011 CLEANING STORAGE TALL		30 33 36 39 42 45 48	84	23.25	HINGED DOORS FIXED SHELF PARTIAL PEGBOARD INTERIOR FOUR SINGLE HOOKS TWO LOUVERS TWO BROOM CLIPS
T5013 HINGED LEFT T5012 HINGED RIGHT CART/TRASH STORAGE TALL		18 21 24	84	23.25	HINGED DOOR FIXED CENTER SHELF TWO ADJUSTABLE SHELVES INTEGRAL SUBBASE


SPECIALTY TALL CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T5014 CLEANING STORAGE TALL		24 27 30 33 36 39 42 45 48	84	23.25	HINGED DOORS FIXED CENTER SHELF TWO ADJUSTABLE SHELVES INTEGRAL SUBBASE
T5020 PANTRY STORAGE TALL		36	84	23.25	HINGED DOORS ADJUSTABLE WIRE DOOR RACKS SHALLOW DEPTH SHELVING AT REAR SWING-OUT WIRE BASKETS ADJUSTABLE SHELF AT TOP
T5021 FOOD STAPLES STORAGE TALL		36	84	23.25	HINGED DOORS FIXED SHELF STORAGE TOTES BELOW THREE ADJUSTABLE SHELVES




		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T5022 FITTING MIRROR STATION TALL		42 45 48	84	23.25	HINGED DOORS HINGED MIRRORED INTERIOR DOORS FIXED SHELF CHROME HANGER ROD ADJUSTABLE CHROME HANGER ROD
T5025 HINGED LEFT T5024 HINGED RIGHT IRONING CENTER STORAGE TALL		21 24	84	23.25	HINGED DOOR OFFSET VERTICAL PARTITION FIVE FIXED HEAT-RESIST SHELVES HOLDS FIVE IRONS HOLDS FIVE IRONING BOARDS
T5026 IRONING CENTER STORAGE TALL		39 42 45 48	84	23.25	HINGED DOOR THREE VERTICAL PARTITIONS TEN FIXED HEAT-RESIST SHELVES HOLDS TEN IRONS HOLDS TEN IRONING BOARDS




SPECIALTY TALL CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T5050 DOOR OVEN TALL		27	84	25.25	HINGED DOORS AT TOP AND BOTTOM RAILS FOR OVEN MOUNTING SPECIFY OVEN CUTOUT SIZE ADJUSTABLE SHELF ABOVE & BELOW
T5051 DOOR OVEN TALL		30 33 36	84	25.25	HINGED DOORS AT TOP AND BOTTOM OVERLAY OVEN PANEL SPECIFY OVEN CUTOUT SIZE ADJUSTABLE SHELF ABOVE & BELOW
T5052 DOOR DRAWER OVEN TALL		27	84	25.25	HINGED DOORS AT TOP RAILS FOR OVEN MOUNTING SPECIFY OVEN CUTOUT SIZE DRAWER BELOW ADJUSTABLE SHELF ABOVE




WIDTHS HEIGHTS DEPTHS DESCRIPTION				
<div>T5053</div> <div>DOOR DRAWER OVEN TALL</div> <div></div>				
	30			
	33	84	25.25	
	36			HINGED DOORS AT TOP OVERLAY OVEN PANEL SPECIFY OVEN CUTOUT SIZE DRAWER BELOW ADJUSTABLE SHELF ABOVE



TOTE TRAY TALL CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T7001 HINGED LEFT T7002 HINGED RIGHT TOTE TRAY TALL		21 24	84	23.25	HINGED DOOR FIXED TOP SHELF FIXED CENTER SHELF NOMINAL TOTE SIZES 21"- (24) 7.5" WIDE TOTE TRAYS 24"-(24) 9.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
T7003 TOTE TRAY TALL		36 39 42 45 48	84	23.25	HINGED DOORS FIXED TOP SHELF FIXED CENTER SHELF NOMINAL TOTE SIZES 36"- (42) 9.5" WIDE TOTE TRAYS 39"-(42) 9.5" WIDE TOTE TRAYS 42"-(42) 9.5" WIDE TOTE TRAYS 45"-(42) 12.5" WIDE TOTE TRAYS 48"-(42) 12.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
T7004 TOTE TRAY TALL		36 39 42 45 48	84	23.25	HINGED DOORS FIXED TOP SHELF FIXED CENTER SHELF NOMINAL TOTE SIZES 36"- (48) 9.5" WIDE TOTE TRAYS 39"-(48) 9.5" WIDE TOTE TRAYS 42"-(48) 9.5" WIDE TOTE TRAYS 45"-(48) 12.5" WIDE TOTE TRAYS 48"-(48) 12.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T7005 TOTE TRAY TALL		39	84	23.25	HINGED DOORS FIXED TOP SHELF FIXED CENTER SHELF NOMINAL TOTE SIZES 39"-(56) 7.5" WIDE TOTE TRAYS 42"-(56) 7.5" WIDE TOTE TRAYS 45"-(56) 7.5" WIDE TOTE TRAYS 48"-(56) 9.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
		42			
		45			
		48			
T7006 TOTE TRAY TALL		39	84	23.25	HINGED DOORS FIXED TOP SHELF FIXED CENTER SHELF NOMINAL TOTE SIZES 39"-(64) 7.5" WIDE TOTE TRAYS 42"-(64) 7.5" WIDE TOTE TRAYS 45"-(64) 7.5" WIDE TOTE TRAYS 48"-(64) 9.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
		42			
		45			
		48			
T7007 HINGED LEFT		21	84	23.25	HINGED DOORS FIXED TOP SHELF FIXED CENTER FLOOR NOMINAL TOTE SIZES 21"-(24) 7.5" WIDE TOTE TRAYS 24"-(24) 9.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
T7008 HINGED RIGHT SPLIT DOOR TOTE TRAY TALL		24			

TOTE TRAY TALL CABINETS

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T7009 SPLIT DOOR TOTE TRAY TALL		36 39 42 45 48	84	23.25	HINGED DOORS FIXED TOP SHELF FIXED CENTER SHELF NOMINAL TOTE SIZES 36"-(42) 9.5" WIDE TOTE TRAYS 39"-(42) 9.5" WIDE TOTE TRAYS 42"-(42) 9.5" WIDE TOTE TRAYS 45"-(42) 12.5" WIDE TOTE TRAYS 48"-(42) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
T7010 SPLIT DOOR TOTE TRAY TALL		36 39 42 45 48	84	23.25	HINGED DOORS FIXED TOP SHELF FIXED CENTER SHELF NOMINAL TOTE SIZES 36"-(48) 9.5" WIDE TOTE TRAYS 39"-(48) 9.5" WIDE TOTE TRAYS 42"-(48) 9.5" WIDE TOTE TRAYS 45"-(48) 12.5" WIDE TOTE TRAYS 48"-(48) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
T7011 SPLIT DOOR TOTE TRAY TALL		39 42 45 48	84	23.25	HINGED DOORS FIXED TOP SHELF FIXED CENTER SHELF NOMINAL TOTE SIZES 39"-(56) 9.5" WIDE TOTE TRAYS 42"-(56) 9.5" WIDE TOTE TRAYS 45"-(56) 12.5" WIDE TOTE TRAYS 48"-(56) 13.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY

		WIDTHS	HEIGHTS	DEPTHS	DESCRIPTION
T7012 SPLIT DOOR TOTE TRAY TALL		39	84	23.25	HINGED DOORS FIXED TOP SHELF FIXED CENTER SHELF NOMINAL TOTE SIZES 39"-(64) 7.5" WIDE TOTE TRAYS 42"-(64) 7.5" WIDE TOTE TRAYS 45"-(64) 7.5" WIDE TOTE TRAYS 48"-(64) 9.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY
		42			
		45			
		48			
T7013 HINGED LEFT T7014 HINGED RIGHT SPLIT DOOR TOTE TRAY TALL		21 24	84	23.25	HINGED DOORS FIXED CENTER FLOOR NOMINAL TOTE SIZES 21"-(32) 7.5" WIDE TOTE TRAYS 24"-(32) 9.5" WIDE TOTE TRAYS ORDER TOTES SEPARATELY

Open Base Cabinets

B0000	Base Cabinet Modifier	2
B1001	No Shlvs	2
B1002	1 Adj Shelf	2
B1003	2 Adj Shlvs	2
B1063	Supply Storage, 1 Sliding Tray	3
B1064	Supply Storage, 2 Sliding Trays	3

Door Base Cabinets

B2041	1 Sliding Tray, Dbl Door	4
B2042	2 Sliding Trays, Dbl Door	4
B2043	3 Sliding Trays, Dbl Door	4
B2044	4 Sliding Trays, Dbl Door	4
B2045	5 Sliding Trays, Dbl Door	5
B2046	6 Sliding Trays, Dbl Door	5
B2001	1 Adj Shelf, Hinged Left	6
B2002	1 Adj Shelf, Hinged Right	6
B2003	2 Adj Shlvs, Hinged Left	6
B2004	2 Adj Shlvs, Hinged Right	6
B2005	1 Adj Shelf, Dbl Door	6
B2006	2 Adj Shlvs, Dbl Door	6
B2007	Center Partition, 2 Adj Shlvs, Dbl Door	7
B2008	Center Partition, 4 Adj Shlvs, Dbl Door	7
B2009	Project Storage, Hinged Left	7
B2010	Project Storage, Hinged Right	7
B2011	2 Partitions, 9 Adj Shlvs, Dbl Door	7

Drwr Base Cabinets

B3001	2 Eq Drwr, 1 Pull	8
B3002	2 Eq Drwr, 2 Pulls	8
B3003	3 Eq Drwr, 1 Pull	8
B3004	3 Eq Drwr, 2 Pulls	8
B3005	3 Drwr, 1 Pull	9
B3006	3 Drwr, 2 Pulls	9
B3007	4 Eq Drwr, 1 Pull	9
B3046	4 Eq Project Storage, 1 Pull	9
B3008	4 Eq Drwr, 2 Pulls	10
B3047	4 Eq Project Storage, 2 Pulls	10
B3009	5 Eq Drwr, 1 Pull	10
B3038	5 Eq Project Storage, 1 Pull	10
B3010	5 Eq Drwr, 2 Pulls	11
B3039	5 Eq Project Storage, 2 Pulls	11
B3011	5 Drwr, 1 Pull	11
B3012	5 Drwr, 2 Pulls	11
B3013	6 Eq Drwr, 1 Pull	12
B3040	6 Eq Project Storage, 1 Pull	12
B3014	6 Eq Drwr, 2 Pulls	12
B3041	6 Eq Project Storage, 2 Pulls	12
B3015	6 Eq Drwr, 1 Pull	13
B3016	6 Eq Drwr, Comp't At Top, 1 Pull	13
B3017	6 Drwr, 1 Pull	13
B3018	6 Drwr, 2 Pulls	13
B3019	7 Eq Drwr, 1 Pull	14
B3042	7 Eq Project Storage, 1 Pull	14
B3020	7 Eq Drwr, 2 Pulls	14
B3043	7 Eq Project Storage, 2 Pulls	14
B3021	7 Drwr, 1 Pull	15
B3022	7 Drwr, 2 Pulls	15
B3023	7 Drwr, 1 Pull	15
B3024	7 Drwr, 2 Pulls	15
B3025	7 Drwr, 1 Pull	16
B3026	7 Drwr, 2 Pulls	16

B3027	7 Drwr, 1 Pull	16
B3028	7 Drwr, 2 Pulls	16
B3029	8 Eq Drwr, 1 Pull	17
B3044	8 Eq Project Storage, 1 Pull	17
B3030	8 Eq Drwr, 2 Pulls	17
B3045	8 Eq Project Storage, 2 Pulls	17
B3031	8 Eq Drwr, 1 Pull	18
B3032	8 Drwr, 1 Pull	18
B3033	8 Drwr, 2 Pulls	18
B3034	8 Eq Drwr, 1 Pull	18
B3035	10 Drwr, 1 Pull	19
B3036	12 Eq Drwr, 1 Pull	19
B3037	16 Eq Drwr, 1 Pull	19

Combination Base Cabinets

B4001	1 Drwr, 1 Adj Shelf, Hinged Left	20
B4002	1 Drwr, 1 Adj Shelf, Hinged Right	20
B4003	1 Drwr, 1 Adj Shelf, Dbl Door, 1 Pull	20
B4004	1 Drwr, 1 Adj Shelf, Dbl Door, 2 Pulls	20
B4005	1 Drwr, Cntr Partition, 2 Adj Shlvs, Dbl Door, 1 Pull	20
B4006	1 Drwr, 2 Adj Shlvs, Dbl Door, 2 Pulls	21
B4007	2 Eq Drws, 1 Adj Shelf, Dbl Door	21
B4008	2 Eq Drws, 2 Adj Shlvs, Dbl Door	21

Sink Base Cabinets

B5001	Blank Head, Rem Back, Hinged Left	22
B5002	Blank Head, Rem Back, Hinged Right	22
B5017	Blank Head, Rem Back/Bot, Hinged Left	22
B5018	Blank Head, Rem Back/Bot, Hinged Right	22
B5003	Blank Head, Rem Back, Dbl Door	22
B5019	Blank Head, Rem Back/Bottom, Dbl Door	22
B5004	Head Rail, Rem Back, Hinged Right	23
B5005	Head Rail, Rem Back, Hinged Left	23
B5020	Head Rail, Rem Back/Bot, Hinged Right	23
B5021	Head Rail, Rem Back/Bot, Hinged Left	23
B5006	Head Rail, Rem Back, Dbl Door	23
B5022	Head Rail, Rem Back/Bottom, Dbl Door	23
B5007	Full Ht Door, Rem Back, Hinged Left	24
B5008	Full Ht Door, Rem Back, Hinged Right	24
B5023	Full Ht Door, Rem Back/Bot, Hinged Left	24
B5024	Full Ht Door, Rem Back/Bot, Hinged Right	24
B5009	Full Ht Door, Rem Back/Bot, Dbl Door	24
B5025	Full Ht Door, Rem Back/Bot, Hinged Right	24
B5010	Recessed Panel, Rem Back, Hinged Left	25
B5011	Recessed Panel, Rem Back, Hinged Right	25
B5026	Rec Panel, Rem Back/Bot, Hinged Left	25
B5027	Rec Panel, Rem Back/Bot, Hinged Right	25
B5012	Recessed Panel, Rem Back, Dbl Door	25
B5028	Rec Panel, Rem Back/Bot, Dbl Door	25
B5013	Blank Head, Rem Back, Hinged Left	26
B5014	Blank Head, Rem Back, Hinged Right	26
B5015	Full Ht Door, Rem Back, Hinged Left	26
B5016	Full Ht Door, Rem Back, Hinged Right	26
D5001	ADA Sink Panel Assembly	27
D5002	ADA Sink Panel Assembly	27
D5003	ADA Sink Panel Assembly	27
D5004	ADA Sink Panel Assembly	27
D5006	ADA Sink Panel Assembly, 29" Clearance	28
D5007	ADA Sink Panel Assembly, 29" Clearance	28
D5008	ADA Sink Panel Assembly, 29" Clearance	28
D5009	ADA Sink Panel Assembly, 29" Clearance	28
D5100	ADA Pocket Door Sink	29

D5130	ADA Pocket Door Sink, Convertible.....	29	B2063	Sewing Machine Unit, Hinged Left	41
D5140	ADA Pocket Door Sink, Convertible.....	29	B2064	Sewing Machine Unit, Hinged Right.....	41
B5210	Standard Sink Skirt Assembly	29	B2059	Stand Mixer, Hinged Left	41
D5210	ADA Sink Skirt Assembly.....	30	B2060	Stand Mixer, Hinged Right	41
B5250	Box Sink Skirt Assembly	30	B2081	Towel Storage Base, Hinged Left.....	41
Corner Base Cabinets			B2082	Towel Storage Base, Hinged Right	41
B6001	Open, 1 Adj Shelf.....	31	B2083	Tray Storage Base, Hinged Left.....	42
B6002	1 Adj Shelf, Hinged Right	31	B2084	Tray Storage Base, Hinged Right	42
B6003	1 Adj Shelf, Hinged Left	31	B2085	Sliding Utensil Storage Base	42
B6004	2 Revolving Shlvs, Hinged Right.....	31	B2086	Pantry Storage Base	42
B6005	2 Revolving Shlvs, Hinged Left.....	31	Open Wall Cabinets		
B6006	2 Revolving Shlvs, 2 Revolving Door	31	W0000	Wall Cabinet Modifier	43
B6007	3 Revolving Shlvs, 2 Revolving Door	32	W1001	Open, No Shelves	43
B6008	Dead Crnr, 2 Turnout Shlvs, Hinged Right.....	32	W1002	Open, 1 Adj Shelf	43
B6009	Dead Crnr, 2 Turnout Shlvs, Hinged Left.....	32	W1003	Open, 2 Adj Shelves	43
B6010	Dead Crnr, 2 Turnout Shlvs, Hinged Right.....	32	W1004	Open, 3 Adj Shelves	44
B6011	Dead Crnr, 2 Turnout Shlvs, Hinged Left.....	32	Door Wall Cabinets		
B6012	Dead Crnr, 1 Adj Shelf, Hinged Right	32	W2001	Hinged Left.....	44
B6013	Dead Crnr, 1 Adj Shelf, Hinged Left	32	W2002	Hinged Right	44
B6014	Dead Crnr, 1 Drwr, 1 Adj Shelf, Hinged Right	33	W2003	1 Adj Shelf, Hinged Left	44
B6015	Dead Crnr, 1 Drwr, 1 Adj Shelf, Hinged Left	33	W2004	1 Adj Shelf, Hinged Right.....	44
Tote Tray Base Cabinets			W2005	2 Adj Shelves, Hinged Left	44
B7001	3 Tote Trays, 1 Drwr, Hinged Left.....	34	W2006	2 Adj Shelves, Hinged Right.....	44
B7002	3 Tote Trays, 1 Drwr, Hinged Right.....	34	W2007	2 Adj Shelves, Hinged Left	45
B7003	4 Tote Trays, 1 Drwr, Hinged Left.....	34	W2008	2 Adj Shelves, Hinged Right.....	45
B7004	4 Tote Trays, 1 Drwr, Hinged Right.....	34	W2009	Double Dr	45
B7005	4 Tote Trays, Hinged Left.....	34	W2010	1 Adj Shelf, Double Dr.....	45
B7006	4 Tote Trays, Hinged Right	34	W2011	2 Adj Shelves, Double Dr	45
B7007	5 Tote Trays, Hinged Left.....	34	W2012	3 Adj Shelves, Double Dr.....	46
B7008	5 Tote Trays, Hinged Right	34	W2101	Framed Glass Dr Hinged Left	46
B7009	6 Tote Trays, Hinged Left.....	35	W2102	Framed Glass Dr Hinged Right	46
B7010	6 Tote Trays, Hinged Right	35	W2103	1 Adj Shelf, Framed Glass Dr Hinged Left.....	46
B7011	8 Tote Trays, Hinged Left.....	35	W2104	1 Adj Shelf, Framed Glass Dr Hinged Right	46
B7012	8 Tote Trays, Hinged Right	35	W2105	2 Adj Shelves, Framed Glass Dr Hinged Left.....	46
B7013	8 Tote Trays, Dbl Door.....	35	W2106	2 Adj Shelves, Framed Glass Dr Hinged Right.....	46
B7014	10 Tote Trays, Hinged Right	35	W2107	2 Adj Shelves, Framed Glass Dr Hinged Left.....	47
B7015	10 Tote Trays, Hinged Left	35	W2108	2 Adj Shelves, Framed Glass Dr Hinged Right.....	47
B7016	10 Tote Trays, Dbl Door	36	W2109	Framed Glass Double Dr.....	47
B7017	12 Tote Trays, Hinged Left	36	W2110	1 Adj Shelf, Framed Glass Double Dr	47
B7018	12 Tote Trays, Hinged Right	36	W2111	2 Adj Shelves, Framed Glass Double Dr	47
B7019	12 Tote Trays, Dbl Door	36	W2112	3 Adj Shelves, Framed Glass Double Dr	48
B7020	12 Tote Trays, Dbl Door	36	Corner Wall Cabinets		
B7021	15 Tote Trays, Dbl Door	37	W6001	Open, 1 Adj Shelf	48
B7022	16 Tote Trays, Dbl Door	37	W6002	Open, 2 Adj Shelves	48
B7023	18 Tote Trays, Dbl Door	37	W6003	Open, 3 Adj Shelves	48
B7024	20 Tote Trays, Dbl Door	37	W6004	1 Adj Shelf, Hinged Right.....	49
B7025	24 Tote Trays, Dbl Door	38	W6005	1 Adj Shelf, Hinged Left	49
Specialty Base Cabinets			W6006	2 Adj Shelves, Hinged Right.....	49
B1014	Right End-Cap Unit	39	W6007	2 Adj Shelves, Hinged Left	49
B1015	Left End-Cap Unit	39	W6008	3 Adj Shelves, Hinged Right.....	49
B1016	End-Cap Unit	39	W6009	3 Adj Shelves, Hinged Left	49
B1017	End-Cap Unit	39	W6102	1 Adj Shelf, Framed Glass Dr Hinged Right	49
B2030	Tilt-Out Waste	40	W6101	1 Adj Shelf, Framed Glass Dr Hinged Left.....	49
B2031	Slide-Out Waste	40	W6104	2 Adj Shelves, Framed Glass Dr Hinged Right.....	50
B2035	Flipper Door Waste, Hinged Left.....	40	W6103	2 Adj Shelves, Framed Glass Dr Hinged Left.....	50
B2036	Flipper Door Waste, Hinged Right.....	40	W6106	3 Adj Shelves, Framed Glass Dr Hinged Right.....	50
B2037	Grommet Waste, Hinged Left.....	40	W6105	3 Adj Shelves, Framed Glass Dr Hinged Left.....	50
B2038	Grommet Waste, Hinged Right	40	W6010	2 Revolving Shelves, Hinged Right.....	50
B2039	Open Waste, Hinged Left	41	W6011	2 Revolving Shelves, Hinged Left	50
B2040	Open Waste, Hinged Right	41	W6012	3 Revolving Shelves, Hinged Right.....	50

W6013	3 Revolving Shelves, Hinged Left.....	50	T3005	2 Fxd & 1 Adj Shlf, Rod, Mir, Pin Tray, 2 Files, Dbl Dr	63
W6014	4 Revolving Shelves, Hinged Right.....	51	T3006	2 Fxd & 1 Adj Shlf, Rod, Mir, Pin Tray, 2 Files, Dbl Dr	63
W6015	4 Revolving Shelves, Hinged Left.....	51	T3007	2 Fxd & 1 Adj Shlf, Rod, Mir, Pin Tray, 2 Files, 1 Drwr, Dbl Dr ..	63
W6016	2 Revolving Shelves, 2 Double Revolving Dr	51	T3008	2 Fxd & 1 Adj Shlf, Rod, Mir, Pin Tray, 2 Files, 1 Drwr, Dbl Dr ..	64
W6017	3 Revolving Shelves, 2 Double Revolving Dr	51	T3009	1 Fxd Shlf, 2 Adj Shlvs, Rod, Mir, Pin Tray, 3 Ext Files, Dbl Dr ...	64
W6018	4 Revolving Shelves, 2 Double Revolving Dr	51	T3010	1 Fxd Shlf, 2 Adj Shlvs, Rod, Mir, Pin Tray, 3 Ext Files, Dbl Dr ...	64
W6019	Dead Cnrr, Dr Hinged Left.....	52	T3011	Fxd Shlf, Fxd Flr, 4 Adj Shlvs, Rod, Mir, Pin Tray, Split Dbl Dr ...	65
W6020	Dead Cnrr, Dr Hinged Right.....	52	T3012	Fxd Shlf, Fxd Flr, 4 Adj Shlvs, Rod, Mir, Pin Tray, Split Dbl Dr ...	65
W6021	Dead Cnrr, 1 Adj Shelf, Dr Hinged Left	52	T3013	1 Fixed Shelf, Hanger Rod, Adj Hanger Rod, Door Hinged Left ...	65
W6022	Dead Cnrr, 1 Adj Shelf, Dr Hinged Right.....	52	T3014	1 Fixed Shelf, Hanger Rod, Adj Hanger Rod, Door Hinged Right..	65
W6023	Dead Cnrr, 2 Adj Shelves, Dr Hinged Left	52	T3015	1 Fixed Shelf, Hanger Rod, Adj Hanger Rod, Dbl Dr.....	66
W6024	Dead Cnrr, 2 Adj Shelves, Dr Hinged Right.....	52	T3021	1 Fixed Floor, 3 Adj Shlvs, 2 Drwrs Below, Door Hinged Left	66
W6025	Dead Cnrr, 3 Adj Shelves, Dr Hinged Left	52	T3022	1 Fixed Floor, 3 Adj Shlvs, 2 Drwrs Below, Door Hinged Right....	66
W6026	Dead Cnrr, 3 Adj Shelves, Dr Hinged Right.....	52	T3023	1 Fixed Floor, 3 Adj Shlvs, 2 Drwrs Below, Dbl Dr.....	66
W6107	Dead Cnrr, Framed Glass Dr Hinged Left	53	T3024	1 Fixed Floor, 3 Adj Shlvs, 2 Drwrs Below, Dbl Dr.....	67
W6108	Dead Cnrr, Framed Glass Dr Hinged Right.....	53			
W6109	Dead Cnrr, 1 Adj Shelf, Framed Glass Dr Hinged Left.....	53	Combination Tall Cabinets		
W6110	Dead Cnrr, 1 Adj Shelf, Framed Glass Dr Hinged Right	53	T4001	1 Fixed Floor, 2 Adj Shlvs, 4 Drwrs Below, Door Hinged Left	68
W6111	Dead Cnrr, 2 Adj Shelves, Framed Glass Dr Hinged Left	53	T4002	1 Fixed Floor, 2 Adj Shlvs, 4 Drwrs Below, Door Hinged Right....	68
W6112	Dead Cnrr, 2 Adj Shelves, Framed Glass Dr Hinged Right	53	T4003	1 Fixed Floor, 2 Adj Shlvs, 4 Drwrs Below, Dbl Door	68
W6113	Dead Cnrr, 3 Adj Shelves, Framed Glass Dr Hinged Left	53	T4004	1 Fixed Floor, 2 Adj Shlvs, 4 Drwrs Below, Dbl Door	68
W6114	Dead Cnrr, 3 Adj Shelves, Framed Glass Dr Hinged Right	53	T4005	1 Fixed Floor, 2 Adj Shlvs, 8 Drwrs Below, Dbl Door	69
W6027	Dead Cnrr, Double Dr	54	T4006	1 Fixed Floor, 2 Adj Shlvs, 8 Drwrs Below, Dbl Door	69
W6028	Dead Cnrr, Double Dr	54			
W6029	Dead Cnrr, 1 Adj Shelf, Double Dr.....	54	Specialty Tall Cabinets		
W6030	Dead Cnrr, 1 Adj Shelf, Double Dr	54	T5001	Apron/Smock Storage, 2 Louvers, 2 Carriers, Door Hinged Left ..	70
W6031	Dead Cnrr, 2 Adj Shelves, Double Dr	54	T5002	Apron/Smock Storage, 2 Louvers, 2 Carriers, Door Hinged Right	70
W6032	Dead Cnrr, 2 Adj Shelves, Double Dr	54	T5003	Apron/Smock Storage, 4 Louvers, 3 Carriers, Dbl Door	70
W6033	Dead Cnrr, 2 Adj Shelves, Double Dr	54	T5005	Apron/Smock Storage, 2 Louvers, 4 Carriers, Door Hinged Left ..	70
W6034	Dead Cnrr, 2 Adj Shelves, Double Dr	54	T5004	Apron/Smock Storage, 2 Louvers, 4 Carriers, Door Hinged Right	70
W6115	Dead Cnrr, Framed Glass Double Dr.....	55	T5006	Apron/Smock Storage, 4 Louvers, 6 Carriers, Dbl Door	71
W6116	Dead Cnrr, Framed Glass Double Dr.....	55	T5007	Display Case, 3 Adj Glass Shlvs, Glass Drs, Box, Light, Dbl Door ..	71
W6117	Dead Cnrr, 1 Adj Shelf, Framed Glass Double Dr.....	55	T5008	Display Case, 3 Adj Glass Shlvs, Glass Drs, Dbl Door	71
W6118	Dead Cnrr, 1 Adj Shelf, Framed Glass Double Dr.....	55	T5009	Cleaning Storage, Partial Peg Int, 2 Louvers, 4 Hooks, Door HL....	72
W6119	Dead Cnrr, 2 Adj Shelves, Framed Glass Double Dr.....	55	T5010	Cleaning Storage, Partial Peg Int, 2 Louvers, 4 Hooks, Door HR ..	72
W6120	Dead Cnrr, 2 Adj Shelves, Framed Glass Double Dr.....	55	T5011	Cleaning Storage, Partial Peg Int, 4 Louvers, 4 Hooks, Dbl Door ..	72
W6121	Dead Cnrr, 3 Adj Shelves, Framed Glass Double Dr.....	55	T5013	Cart/Trash Storage, Integral Subbase, 2 Adj Shelves, Door HL.....	72
W6122	Dead Cnrr, 3 Adj Shelves, Framed Glass Double Dr.....	55	T5012	Cart/Trash Storage, Integral Subbase, 2 Adj Shelves, Door HR	72
W3001	Open Microwave	56	T5014	Cart/Trash Storage, Integral Subbase, 2 Adj Shelves, Dbl Door	73
W3002	Open Microwave, Double Dr	56	T5020	Pantry, Adj Wire Racks, Pivoting Wire Racks, Split Dbl Door	73
			T5021	Pantry, Fixed Shelf, 3 Adj Shelves, 9 Baskets Below, Dbl Door	73
Open Tall Cabinets			T5022	Fxd Shelf, Hanger Rod, Adj Hanger Rod, Dbl Mirror Dr, Dbl Dr ..	74
T0000	Tall Cabinet Modifier	57	T5025	Ironing Cntr Storage, Heat-Resist Shelves, Door Hinged Left.....	74
T1001	1 Fixed Center Shelf, 2 Adj Shlvs.....	57	T5024	Ironing Cntr Storage, Heat-Resist Shelves, Door Hinged Right	74
T1002	1 Fixed Center Shelf, 4 Adj Shlvs.....	57	T5026	Ironing Cntr Storage, Heat-Resist Shelves, Dbl Door.....	74
T1003	Center Partition, 2 Fixed Center Shlvs, 4 Adj Shlvs.....	58	T5050	Oven Cabinet, Adj Shelf, Rail Oven Mounting, Dbl Door	75
T1004	Center Partition, 2 Fixed Center Shlvs, 8 Adj Shlvs.....	58	T5051	Oven Cabinet, Adj Shelf, Overlay Oven Mounting, Dbl Door	75
			T5052	Oven Cabinet, Drawer, Rail Oven Mounting, Dbl Door.....	75
Door Tall Cabinets			T5053	Oven Cabinet, Drawer, Overlay Oven Mounting, Dbl Door	76
T2001	1 Fixed Center Shelf, 4 Adj Shlvs, Dr Hinged Left	59			
T2002	1 Fixed Center Shelf, 4 Adj Shlvs, Dr Hinged Right	59	Tote Tray Tall Cabinets		
T2101	1 Fixed Center Shelf, 4 Adj Shlvs, Frmd Glass Dr Hinged Left	59	T7001	24 Tote Trays, Fixed Shelf, Door Hinged Left	77
T2102	1 Fixed Center Shelf, 4 Adj Shlvs, Frmd Glass Dr Hinged Right.....	59	T7002	24 Tote Trays, Fixed Shelf, Door Hinged Right.....	77
T2003	1 Fixed Center Shelf, 4 Adj Shlvs, Dbl Dr	59	T7003	42 Tote Trays, Fixed Shelf, Dbl Door	77
T2103	1 Fixed Center Shelf, 4 Adj Shlvs, Framed Glass Dbl Dr.....	60	T7004	48 Tote Trays, Fixed Shelf, Dbl Door	77
T2004	Center Partition, 2 Fixed Center Shlvs, 8 Adj Shlvs, Dbl Dr	60	T7005	56 Tote Trays, Fixed Shelf, Dbl Door	78
T2005	1 Fixed Floor, 4 Adj Shlvs, Split Drs Hinged Left	60	T7006	64 Tote Trays, Fixed Shelf, Dbl Door	78
T2006	1 Fixed Floor, 4 Adj Shlvs, Split Drs Hinged Right.....	60	T7007	24 Tote Trays, Fixed Floor, Split Door Hinged Left	78
T2007	1 Fixed Floor, 4 Adj Shlvs, Dbl Split Drs	61	T7008	24 Tote Trays, Fixed Floor, Split Door Hinged Right	78
T2008	3 Partitions, 4 Fixed Center Shlvs, 16 Adj Shlvs, Dbl Drs	61	T7009	42 Tote Trays, Fixed Floor, Split Dbl Door	79
			T7010	48 Tote Trays, Fixed Floor, Split Dbl Door.....	79
Teacher Wardrobe Cabinets			T7011	56 Tote Trays, Fixed Floor, Split Dbl Door.....	79
T3001	1 Fixed Shelf, Hanger Rod, Mirror, Pin Tray, Dr Hinged Left	62	T7012	64 Tote Trays, Fixed Floor, Split Dbl Door.....	80
T3002	1 Fixed Shelf, Hanger Rod, Mirror, Pin Tray, Dr Hinged Right	62	T7013	32 Tote Trays, Fixed Floor, Split Door Hinged Left	80
T3003	2 Fixed Shlvs, 2 Adj Shlvs, Rod, Mir, Pin Tray, Dbl Dr	62	T7014	32 Tote Trays, Fixed Floor, Split Door Hinged Right.....	80
T3004	2 Fixed Shlvs, 2 Adj Shlvs, Rod, Mir, Pin Tray, Dbl Dr	62			

Part 1: General

1.01 SUMMARY

- A. Section includes supplying plastic-laminate-faced casework; countertops; casework hardware and service fittings and outlets.
- B. Plumbing Contractor shall install all sinks, faucets, strainers, tailpieces, traps, bubblers, gas cocks and valves and trim furnished by the casework supplier; Plumbing Contractor shall provide all labor to interconnect these items and connect these items to building systems.
- C. Electrical Contractor shall install electrical equipment (variable voltage panels, etc.) furnished by the casework supplier as specified. Electrical Contractor shall provide all labor to interconnect these items with the building systems. The electrical contractor shall provide electrical boxes, plates and wiring devices. The casework contractor will provide the appropriate cutouts as noted on the approved shop drawings.
- D. HVAC Contractor shall install all mechanical devices furnished by the casework supplier as specified. HVAC Contractor shall provide all labor to interconnect these items to the building systems.
- E. If fume hoods are included as part of the casework contract the fume hood motor / fan assemblies, ducting, dampers and control devices shall be provided by the HVAC or other designated contractor(s) per the mechanical specifications. The casework contractor only if shown on approved shop drawings shall provide fan switches.
- F. Calibration and balancing of fume hoods is the responsibility of the HVAC contractor.
- G. Furnish and place appliances, which are explicitly included in the casework, contract where noted on architectural drawings.
- H. The HVAC, Plumbing and Electrical Contractors shall extend building utilities to and connect appliances.
- I. Work shall be conducted in accordance with General Conditions, Supplementary Conditions, Division 1 and the requirements of this Section.
- J. Related Sections:
 - 1. Section 07900 - Joint Sealers.
 - 2. Section 09650 - Resilient Flooring: Base material.
 - 3. Section 11600 - Laboratory Equipment.

1.02 REFERENCES

- A. American National Standards Institute (ANSI).
- B. Architectural Woodwork Institute (AWI): Architectural Woodwork Quality Standards Illustrated, latest edition.

C. National Electrical Manufacturers Association:

1. NEMA LD 3 - High Pressure Decorative Laminates.

D. Composite Panel Association Buyer's & Specifier's Guide

1.03 DESIGN REQUIREMENTS

A. Manufacturers shall be members of AWI, have established quality control criteria

B. Casework shall meet or exceed load tests as outlined in ANSI A161.1.

C. Manufacturers shall comply, per architect's specification, with special requirements related to the Americans with Disabilities Act, 28 CFR Part 36, ADA Standards for Accessible Design.

D. Items shall suit space conditions and where equipment is intended to occupy fixed locations, the physical conditions, roughing-in, etc., of the building are to control the absolute sizes and arrangements.

E. Project Standard:

1. Stock numbers of items of equipment, as indicated on Equipment Schedules, have been selected from one manufacturer's catalog for design purposes only.
2. Items of equipment by approved manufacturers (other than the Project Standard) need not be identical to the items indicated, however, they must satisfy the same requirements, provide the same facilities (doors, drawers, etc.) and fulfill the same functions as the specified items.
3. Where items of equipment by approved manufacturers (other than Project Standard) are not of the same lengths as the items indicated, adjust equipment layouts as follows:
 - a. Where items of equipment are against the wall and confined by walls at both ends.
 - 1) Add a filler panel (not to exceed 4" wide), and/or
 - 2) Increase the length of one or more units, and/or
 - 3) Add an additional item of equipment.
 - b. Where items of equipment are freestanding or are not confined by walls at both ends, adjust as above, except that overall length need only be approximate.
4. Materials used by all manufacturers must meet the requirements of these specifications; it is understood that the manufacturers vary in joinery; these specifications describe the construction offered by the first-named manufacturer.
5. It is intended that wood dowels shall secure cabinet body components and glue, but the use of concealed interlocking mechanical fasteners as approved by AWI 1600B-S-4. A especially designed for use with particleboard shall be acceptable.

6. Where items of equipment by approved manufacturers (other than the Project Standard) necessitate changes in mechanical or electrical services, said changes shall be the Contractor's responsibility and shall be coordinated and accomplished at no additional cost to the Owner.

1.04 SUBMITTALS

A. Section 01600 - Product Requirements: Submittal requirements.

B. Shop Drawings:

1. Indicate casework locations, large-scale plans, elevations, cross sections, rough in and anchor placement dimensions, tolerances and clearances required.
2. Include utility rough-in dimensions.

C. Product Data:

1. Submit component dimensions, configurations, construction details, joint details, and attachments, utility and service requirements and locations.
2. Include associated components, including grommets, sink, sink fittings, appliances, fume hoods and other items as indicated on drawings.
3. Include manufacturer's literature.

D. Samples (per architect's request):

1. Plastic Laminates
2. Edge banding
3. Hinges
4. Pulls
5. Catches
6. Louvers
7. Grommets

E. Sample Unit:

1. When requested by the Architect, submit full-size cabinet, as herein specified.
2. Submitted cabinets may be used in the Project.

F. Coordination Submittals:

1. Copy same submittals to other trades and other Prime Contractors who have connecting or adjacent Work for coordination review and for locating their Work connected to or adjacent to the equipment specified herein.

G. Certification that the manufacturer's assembly has been tested per ANSI A161.1.

1.05 QUALITY ASSURANCE

A. Qualifications:

1. Manufacturer: Company specializing in manufacturing products specified in this Section with minimum ten years experience.

B. Mockup (per architect's request):

1. Section 01400 - Quality Requirements: Mockup requirements.
2. Construct full size mockup including base and upper cabinet, complete with drawers, door, adjustable shelf and counter top.
3. Locate where directed by Architect.
4. Incorporate accepted mockup as part of Work.

1.06 DELIVERY, STORAGE AND HANDLING

A. Section 01600 - Product Requirements: Product warranties and product bonds.

B. Accept casework on site; inspect on arrival for damage.

C. Store and handle casework in manner to prevent damage and deterioration.

D. Provide packaging such as cardboard or other containers, separators, banding, spreaders and paper wrappings to protect metal items.

E. Store casework in a protected dry area, provided by the owner, away from direct sunlight, with temperature 70 degrees F (+/- 10) and relative humidity of 20–50%. Casework shall be stored elevated above moisture contact. Storage area must be isolated from outside weather conditions. Casework shall be installed only in areas where temperature and humidity are maintained within the above-stated range. Storage and installations in conditions other than those stated above will void all product warranties.

F. All cabinets to be complete with hardware attached (or provided loose where not practical to ship attached) with all necessary scribes, fillers and molding; all items to be marked on outside of packaging for identification.

G. Protect exposed finish surfaces by suitable means.

H. Coordinate size of access and route to place of installation.

1.07 SEQUENCING AND SCHEDULING

- A. Coordinate casework installation with location and installation of service utilities.
- B. Sequence installation to accommodate required utility connections.

1.08 WARRANTY

- A. The manufacturer shall guarantee the casework against defects in materials and workmanship for a period of one year from date of acceptance.
- B. Warranty shall cover the repair or replacement, at the manufacturer's discretion of defective material.
- C. Non-manufactured components and accessories, such as faucets, fittings and fume hoods, shall be covered by the specific manufacturer's warranty.

PART 2: PRODUCTS

2.01 MANUFACTURERS

- A. Project Standard:
 - 1. Drawings and specifications for casework and equipment are based upon plastic laminate institutional casework as manufactured by Labscape LLC, 100 Hilltop Road Ramsey, NJ 07446 800.898.6649.
- B. The design shall be in accordance with the Drawings for each item, complete with all required fillers, trim strips, backs, etc.
- C. The equipment of the following specifications shall be the heavier, more substantial grade of equipment generally referred to as Institutional Grade, as compared to the lighter commercial grades, which will not comply with these specifications and will not be acceptable.
- D. Colors for casework and counter tops shall be as selected by the Architect and shall not be limited in number of colors; Architect reserves the right to select any color offered by Wilsonart or Formica.

2.02 COMPONENTS

- A. Cabinet Surfaces:
 - 1. All exposed exterior cabinet surfaces shall be surfaced with a high pressure plastic laminate 0.028 inch (0.71mm) in thickness (GP28), meeting current NEMA standards for vertical grade.

2. Interior surfaces (concealed surfaces) and underside of wall cabinets shall be neutral in color and shall be thermally fused melamine laminate meeting current NEMA standards.

3. Units without doors and with glazed or glass doors to receive same interior as exposed exterior.

B. Edges:

1. Cabinet body leading edges shall be flat edge 0.020 inch PVC, machine applied with hot melt adhesive.

2. Doors and drawer edges shall be 3mm PVC, machine applied with hot melt adhesive, inside/outside length radiused, corner radiused and buffed.

C. Drawer bodies shall be constructed of ½” thick solid oak with dovetail joints. Laminate drawer boxes with doveled construction shall not be considered equal.

D. Lamination with natural hybrid P.V.A. Type III water resistant adhesives that cure through chemical reaction, containing no health or environmentally hazardous ingredients, are required; “contact” methods of laminating are not allowed.

E. Substrate for Laminated Surfaces:

1. Particleboard:

a. Particleboard to be industrial grade, with a minimum density range of 45 to 50 pounds per cubic foot, balanced 3-ply construction and shall conform to ANSI A208.1-1993 specifications for medium density.

2.03 COUNTER TOPS

A. Laminate Counter Tops:

1. Decorative surface to be PF42 or GP 50 high pressure plastic laminate which meets or exceeds performance standards set by National Electrical Manufacturers Association (NEMA LD3-2000), as amended, for Class 1 applied with water resistant glue over 1 inch thick particleboard.

2. Underside shall be properly balanced with heavy gauge backing sheet.

3. Provide tops in as long as practical continuous lengths.

4. Provide mechanical fasteners at field joints.

5. The backsplash shall not be the post-formed cove type.

6. Backsplashes will be mechanically fastened.

7. Backsplash bottom and corner joints will be continuously sealed with silicone sealant.

8. Factory applied tops on mobile cabinets and other specialty cabinets shall be ¾” thick particleboard with plastic laminate top surface and balanced with phenolic backer sheet or equivalent. All edges to have PVC edge band (selected from manufacturer’s standard color offering) applied with hot melt adhesive.

B. Molded Epoxy Resin Tops:

1. Molded epoxy resin tops shall be molded from a modified epoxy resin that has been especially compounded and cured to provide the optimum physical and chemical resistance properties required of a heavy-duty laboratory tabletop.

2. Tops and curbs shall be a uniform mixture throughout their full thickness, and shall not depend upon a surface coating that is readily removed by chemical and/or physical abuse.
3. Tops and curbs shall be non-glaring and black in color. Tabletops shall be 1 inch thick, unless otherwise shown on the Drawings, with drip grooves provided on the underside at all exposed edges.
4. Further, all exposed edges except as indicated below, shall be eased at front top edge and at vertical corners.
5. 4" curbs shall be the same thickness as the tops, bonded to the surface of the top to form a square joint.
6. Provide drop-in sinks.
 - a. Sink cutouts shall be machined to accommodate sink lips.

C. Stainless Steel:

1. Equipment herein specified, when constructed of more than one piece and/or sheet of metal, shall be continuously butt-welded, ground and polished smooth; field joints shall be as few as possible.
2. Welded parts shall be homogeneous, non-porous, and free from pits, cracks, imperfections or discolorations.
3. Welding shall be electric process, with joints ground and polished smooth.
4. The welding rods used shall be of the same composition as sheets of parts welded.
5. Counter Tops:
 - a. Counter tops and like items, unless otherwise specified, shall be Type 304 with number 4 finish.
 - b. Tops shall be reinforced on bottom side with hat channels and coated with sound deadening material.
 - c. Field joints in tops shall be bolted where tops exceed length of available sheets and/or where building access does not permit the top to be brought into the building in one piece.
6. Backsplashes:
 - a. Form on three sides of, and integral with, counter top of 14-gauge stainless steel with corners formed with a $\frac{3}{4}$ " radius, both horizontal and vertical.
 - b. Provide $\frac{3}{4}$ " return down backside.
 - c. Close ends of side splashes with $\frac{3}{4}$ " radius.

7. Integral Sinks:

- a. Sinks shall be constructed of 14-gauge stainless steel with corners formed with a $\frac{3}{4}$ " radius, both horizontal and vertical; sink sizes established on the drawings to be inside measurements.
- b. Partitions between sink compartments shall be double walled with $\frac{3}{4}$ " radius corners, $\frac{3}{4}$ " radius top edges, welded in place, ground smooth and polished.
- c. Fronts, bottoms and back of multiple compartment sinks shall be one piece with no overlapping joints or open crevices.

- d. Bottom of each compartment shall be molded at drain opening at center.
- e. Where sinks occur in counter tops, they shall be entirely welded to the countertops with welds ground smooth and polished, with no trace of welding left, to give the appearance of one continuous piece.
- f. Counter tops are to have a stainless steel backsplash 4 inches high.
- g. Provide appropriate number of holes for specified faucets and drains.

D. Hard Wood Tops:

- 1. Wood tops shall be 1-1/4" minimum thickness and shall be built up of maple strips laminated together with a durable finish.

2.04 HARDWARE COMPONENTS

A. Hinges

- 1. Standard hinges for wall cabinets, base cabinets and tall cabinet doors shall be of the heavy-duty, wrap around, institutional type with five knuckles, non-removable pin and rounded ends. Hinges for overlay door construction shall be 2-3/4" high by .095" thick and hinges for lipped radiused construction shall be 2-1/2" high by .072 thick. Hinge swing shall be 270 degrees. Hinges shall be finished in colors selected from the manufacturer's standard colors.
- 2. Offset kitchen cabinet type, plain butt hinges or hinges with removable pins will not be acceptable.
- 3. Hinge screws shall be concealed when door is closed.
- 4. Doors less than 40-1/4" high shall have two hinges and those 40-1/4" high and over shall have three hinges.
- 5. Optional concealed hinges shall be available with either 120 or 170-degree swing (per project specification).
- 6. Optional semi-concealed three knuckle hinges shall be available.
- 7. The number of semi-concealed or concealed hinges shall vary according to the door height as follows: 10-1/2" – 34-1/2" door height: 2 hinges, over 34-1/2" – 52-1/2" door height: 3 hinges, over 52-1/2" – 70-1/2": 4 hinges, over 70-1/2": 5 hinges.
- 8. Drawer Slides - Standard Drawers:
 - a. Single-extension, bottom-mounted, epoxy powder coated with positive in stop, out-stop and out-keeper, lift-out disconnect, stay-closed design.
 - b. Captive nylon rollers both front and rear.
 - c. 100 pound load rating.
 - d. Slide shall have a manufacturer's lifetime warranty.
- 9. Drawer Slides – File/Paper Storage Drawers: Full extension, three part progressive opening slide, 100 pound load rating, zinc plated or epoxy coated at manufacturer's option.

B. Pulls shall be satin aluminum bent wire style, 4" on center.

C. Three-point locking handles, when provided, shall be installed in the field to prevent shipping damage to casework.

D. Adjustable shelf supports to be twin pin design with anti-tip up shelf restraints for both $\frac{3}{4}$ " and 1" thick shelves, and provide slot to mechanically fasten shelf to clip; load rating minimum of 300 pounds per support.

E. Locks:

1. Locks to be removable core, five-disc tumbler type. Cabinets to be keyed alike per room, each room keyed differently and master keyed, unless noted otherwise on drawings.

2. Provide two keys per lock.

3. A maximum of six master keys shall be provided when requested.

2.05 MISCELLANEOUS COMPONENTS

A. Louvers and Grilles:

1. Provide manufacturers standard louvers or grilles on doors where specified.

2. Louvers are to be provided on each side of cabinet door opening to create a sealed uniform finish, where louvers are indicated on drawings: punched metal louvers with exposed sharp edges will not be permitted.

B. Tote trays shall be tan-colored high-impact polystyrene with aluminum cardholder.

C. Grommets: Provide grommets with covers at locations shown on drawings.

2.06 PLUMBING FIXTURES

A. Stainless Steel Sinks and Miscellaneous Fittings:

1. Project Standard: Sinks and fittings are based upon products manufactured by Just Manufacturing Company, 9233 King Street, Franklin Park, Illinois 60131.

2. The specifications outline minimum material and construction standards.

3. Only products meeting or exceeding this minimum standard shall be acceptable.

4. The receiving of a bid does not necessarily indicate the manufacturer's standard product is acceptable.

5. Acceptable Alternative Manufacturer:

- a. Elkay Manufacturing Company
2222 Camden Court
Oak Brook, IL 60521
(708) 574-8484

B. Epoxy Resin Sinks and Miscellaneous Fittings:

1. Project Standard: Sinks and fittings are based upon products manufactured by The Durcon Company, Inc., 1255 South Mill Street, Plymouth, Michigan 48170.
2. The specifications outline minimum material and construction standards.
3. Only products meeting or exceeding this minimum standard shall be acceptable.
4. The receiving of a bid does not necessarily indicate the manufacturer's standard product is acceptable.

C. Faucets and Fixtures:

1. Project Standard: Faucets and fixtures are based upon products manufactured by WaterSaver Faucet Company, 701 W. Erie Street Chicago, IL 60654 (312)-666-5500.
2. The specifications outline minimum material and construction standards.
3. Only products meeting or exceeding this minimum standard shall be acceptable.
4. The receiving of a bid does not necessarily indicate the manufacturer's standard fixtures shall be acceptable.
5. Acceptable Alternative Manufacturers (prior to bidding):
 - a. Wolverine Brass Company
2951 Highway 501 East
Conway, SC 29526
(800) 944-9292
 - b. Chicago Faucet Company
2100 Clearwater Drive
Des Plaines, IL 60018
(847)803-5000

D. Fume Hoods:

1. Project Standard: Fume hoods are based upon products manufactured by Air Master Systems Corporation, 6480 North Center Drive, Muskegon, Michigan 49441.
2. The specifications outline minimum material and construction standards.
3. Only products meeting or exceeding this minimum standard shall be acceptable.
4. The receiving of a bid does not necessarily indicate the manufacturer's standard fixtures shall be acceptable.
5. Acceptable Alternative Manufacturers:
 - a. Labconco Corporation
8811 Prospect Avenue
Kansas City, MO 64132
(800) 821-5525

2.07 FABRICATION

A. Base Cabinets:

1. Non-exposed surfaces shall be faced with thermally fused melamine laminate.
2. Exposed surfaces shall be surfaced with high-pressure plastic laminate.
3. Sub tops and bottoms shall be $\frac{3}{4}$ " thick, edged with 0.020" PVC on front.
4. Backs to be $\frac{1}{2}$ " thick trapped in sides and sealed with hot-melt adhesive.
5. Side panels to be $\frac{3}{4}$ " thick, edged with 0.020" PVC on front edge.
6. External hanger rails, $\frac{3}{4}$ " thick and a minimum of 3" high, shall be mechanically fastened to sub top, bottom and both sides.
7. An intermediate rail shall be $\frac{3}{4}$ " thick x 4" melamine-(concealed interior) and high-pressure plastic laminate-(exposed interior) to be secured to cabinet sides with 8-mm hardwood dowels on 32-mm centers, glued and screwed.
8. Sub bases to be separate (no cabinet body sides-to-floor), water-resistant plywood with concealed fastening to cabinet bottom.

B. Wall Cabinets:

1. Non-exposed surfaces shall be faced with thermally fused melamine laminate.
2. Exposed surfaces shall be surfaced with high-pressure plastic laminate.
3. Tops and bottoms shall be 1" thick, edged with 0.020" PVC on front.
4. Backs to be $\frac{1}{2}$ " thick trapped in sides and bottoms and sealed with hot-melt adhesive.
5. Side panels to be $\frac{3}{4}$ " thick, edged with 0.020" PVC on top, bottom and front.
6. External hanger rails, $\frac{3}{4}$ " thick and a minimum of 3" high, shall be mechanically fastened to top, bottom and both sides of wall cabinets. Rails shall be located at top and bottom of cabinets.
7. Sub bases to be separate (no cabinet body sides-to-floor), water-resistant plywood with concealed fastening to cabinet bottom.

C. Tall Casework:

1. Non-exposed surfaces shall be faced with thermally fused melamine laminate.
2. Exposed surfaces shall be surfaced with high-pressure plastic laminate.
3. Tops shall be 1" thick edged with 0.020" PVC on front.
4. Bottoms and side panels shall be $\frac{3}{4}$ " thick edged with 0.020" PVC on front.

PLASTIC-LAMINATE CASEWORK SPECIFICATIONS

5. Backs to be ½” thick trapped in sides and sealed with hot-melt adhesive.

6. External hanger rails, ¾” thick and a minimum of 3” high, shall be mechanically fastened to top, bottom and both sides of tall cabinets. Rails shall be located at top and bottom of cabinets.

D. Sink Cabinets:

1. Sink cabinets shall be constructed with vertical head rails at front and rear of cabinets in lieu of full sub tops.

2. Removable backs shall be provided for all sink cabinets.

E. Tops, bottoms, sub tops, intermediate rails, fixed partitions and fixed shelves where applicable to be glued and doweled to cabinet sides. Cabinets shall be clamped under pressure to insure joint integrity and unit squareness.

F. Cabinet Backs:

1. Exposed exterior backs to be ¾” thick particleboard faced with high-pressure plastic laminate.

2. Removable backs, where specified, shall be attached to cleats secured to the cabinet sides and bottoms. Back panels shall be secured in place with pan head screws.

G. Drawers:

1. Drawer sides, back and front shall be, ½” thick solid oak. Top edges shall be radiused and free of rough edges.

2. Drawer boxes shall be assembled with glued dovetail construction at all four corners.

3. Drawer bottoms shall be ¼” thick hardboard with finished surface of wear-resistant oak reversed-grain vinyl and trapped in grooved drawer box.

4. Underside of drawer to be sealed with a continuous bead of hot melt adhesive to enhance drawer integrity.

5. Reinforce drawer bottoms with a hardwood front-to-back intermediate underbody stiffener, hot melt glued and fastened; one above 24” and two at 42” and wider.

6. Separate plastic laminate drawer fronts shall be applied to completed drawer box assemblies.

7. Provide clip and rail hanging file system for legal or letter size as indicated by manufacturer’s model number.

H. Door and Drawer Fronts:

1. Hinged and sliding doors and drawer fronts shall be ¾” thick particleboard faced on both sides with high-pressure plastic laminate. Drawer fronts and hinged doors are to overlay the cabinet body, maintaining a reveal between doors and drawers.

2. Edging shall be 3mm PVC applied with hot-melt adhesive.

3. Sliding doors shall have a composite bottom track and top guide. Rollers shall be routed into bottom of door. Doors over 48” in height shall have an overhead aluminum track and bottom guide.

4. Framed doors, for glazed panels or tack board inserts, shall have ¾” thick hardwood frames faced on both sides with high-pressure plastic laminate. Glazed panels shall be ¼” thick tempered safety glass.

5. Sliding glass doors shall be ¼" thick tempered safety glass, fitted into top and bottom aluminum tracks. Bottom tracks shall have rollers for smooth operation.

I. Adjustable Shelves

1. Non-exposed shelves shall be faced on both surfaces with thermally fused melamine laminate. Exposed shelves shall be faced on both surfaces with high-pressure plastic laminate.
2. Shelf thickness shall be 1".
3. Shelves shall be full depth and adjustable on 32mm (1-¼") increments.
4. Front edge of shelves shall be finished with 0.020" thick PVC, applied with hot melt adhesive.

J. Fixed Shelves:

1. Non-exposed shelves shall be faced on both surfaces with thermally fused melamine laminate. Exposed shelves shall be faced on both surfaces with high-pressure plastic laminate.
2. All non-supported fixed shelves and exposed shelves shall be 1" thick. All supported fixed shelves shall be ¾" thick.
3. Shelves shall be full depth and doweled to cabinet sides.
4. Front edges of shelves shall be finished with 0.020" thick PVC, applied with hot melt adhesive.

2.08 COLORS

- A. Selected by Architect as provided by these specifications (in particular Paragraph 2.01.E).

PART 3: EXECUTION

3.01 INSTALLATION

- A. Install casework, components and accessories under manufacturer representative's supervision whenever possible, using skilled labor especially trained for this work. Cabinets are to be installed in a professional and industry-accepted manner, including all scribes, moldings and necessary trim, complete and in operating condition according to outlined plans and specifications.
- B. Set casework items plumb and square, securely anchored to building structure.
- C. Furnish casework complete with trim strips, fillers, backs, etc., as may be required; all cutouts required for trim, sinks, etc., shall be made by the casework supplier.
- D. Unless noted otherwise, furnish all sinks, faucets, bubblers, baskets, tailpieces, traps and gas cocks as shown on approved shop drawings for installation and hook-up by Plumbing Contractor.
- E. Fume hoods and exhaust booths shall be pre-plumbed and pre-wired.

- F. The HVAC Contractor will provide exhaust fans and motors.
- G. Field touch-up blemishes to original finish as approved and accepted by the Architect.
- H. Discard or remove and replace damaged members.

3.02 ADJUSTING

- A. Adjust doors, drawers, hardware and other moving or operating parts to function smoothly.
- B. Adjustable shelves shall be installed consistent with the shop drawings.

3.03 CLEANING

- A. All packaging material and installation related debris shall be placed in an owner provided dumpster on the construction site. The work area shall be left broom clean.
- B. Installer shall remove all pencil marks, adhesive and sawdust resulting from this work.
- C. Plastic laminate casework shall be cleaned inside and out to remove the installation related dust and debris.

3.04 PROTECTION OF INSTALLED CONSTRUCTION

- A. Protection of installed casework shall be the responsibility of the general contractor or owner's representative. The owner's representative shall provide materials and labor.



DISTRIBUTED BY LONGO ASSOCIATES, INC.
WWW.LONGOLABS.COM